


# INSERT INTO MULTIPLE TABLES USING A SUBMIT BUTTON (Tutorial)

By: Christopher Singleton (Business Intelligence Developer / Analyst / .NET Programmer)

It goes without saying, that Microsoft's ASP.NET web forms are very powerful and the mix with SQL scripting holds a lot of capabilities. In this tutorial, I will show you how to build a web form that allows others to apply directly online to your company while inserting / populating their information into multiple tables while acknowledging when a row of their information has been completed. Note: The styling is your choice.

We start off with a very common graphic user interface that has secure LogIn capabilities where one of the features is of the creation of a Dynamic Link Library (DAL) that holds the functionality to logging into the Active Server Page. We have a passthrough Container that holds our objects, also located in the DAL, which serves as a link between the database, the DAL, and the Graphical User Interface web forms pages. You may ask me why we need a Dynamic Link encrypted Library, is because they are one of the safest ways that you can pass information using your ASP.NET application and can link in tandem with Session Variables that allow capture on other pages as the User moves from page to page areas that they are allowed.

Consequently, you can increase your security throughout all the pages using the web.config file, which is great if you are dealing with master pages or you can regulate each page as you go through a combination of SQL Server and scripting on each and every page. My recommendation is to always create a DAL (Class Library) for your SQL code operations and/or use stored procedures when at all possible sparingly. For now let's concentrate on the next step to building a web form that allows you to populate three tables with the click of a submit button, which is the next step after creating a secure LogIn. As we complete our exciting journey, this will give you a chance to analyze what I did and empower you with creating more in the near future. Please keep in mind, that this tutorial can also be created using Model, View Controller (MVC) as well.



The screenshot displays a web application interface. At the top, there is a header area with a central image of a modern glass skyscraper. Below the header, on the left side, is a vertical navigation menu with the following links: [New Products](#), [Projects](#), [Sale](#), [Featured](#), and [Code Testing](#). Below these links is a login form with two input fields: "User Name" and "Password", and a green "Submit" button. Below the login form is a link for [Sign up](#). In the bottom right corner of the main content area, there is a small, semi-transparent box labeled "Rectangular Snip". At the bottom of the page, there is a footer containing the text "Quality Business Intelligence [Contact: Send an Email](#)" on the left and "©All Rights Reserved 2020" on the right.

## LogIn Page

[New Products](#)

[Projects](#)

Sale

Featured

[Code Testing](#)

User Name

Password

[Sign up](#)

[New Products](#)

[Projects](#)

Sale

Featured

[Code Testing](#)

Log-In Failed!

jh

[Sign up](#)

Welcome Netsurfer2!

[New Products](#)

[Projects](#)

Sale

Featured

[Code Testing](#)

[Update Log-In](#)

[Online Application](#)

[Code Tutorials](#)

[EmploymentPartner](#)

Quality Business Intelligence [Contact: Send an Email](#)

## SignUp Page

\*\*\*Passwords must have: 1 lower case, 1 upper case letter, 1 numeral, and must be 4-8 characters long.

### Create Log-In

User Name:

Password:

Email:

Submit

### Newly Created Log-In Data

User Name: MyUserName

Password: 39HideMe

Email: myemail@email.com

### Capture Row ID

Dataset Created, Line ID: 10

[Update User Info](#)

Please put in a new "Password":

### Update Log-In Information

User Name:

Password:

Email:

Submit

[Return to Log-In Page](#)

## Hire Application Form Page

# QUALITY BI DEVELOPERS Application Form

Please fill in all the information!

### Employee Information

First Name

\*Middle Name

Last Name

Address

City

State

Zip Code

\*Home Phone Number

Cell Phone Number

Email Address

Date Of Birth

Social Security Number

Position:

When can you start?

\*Desired Hourly Rate

### Legal Status

### Legal Status

Have you ever been convicted of a felony by a court of law or are there any reasons why you cannot pass a background check or have you ever been denied a security clearance?

- Yes
- No

If Yes, please explain!

Max 350 Characters...

Are you eligible to work in the U.S.? Could you, once employed, submit documentation to that effect?

- Yes
- No

### Medical Status

Do you have any medical conditions that would need any kinds of accommodations in doing your job? Are there any medical conditions that would prevent you from doing the work in the position that you are applying for?

- Yes
- No

If Yes, please explain!

Max 350 Characters...

If Yes, please explain!

Max 350 Characters...

### Vetrans Service Status

Are you currently in active military service?

- Yes
- No

Have you ever been in the military?

- Yes
- No

### Employment History

Are you currently employed?

- Yes
- No

No

Employer Name	Position	Start Date	End Date
<input type="text" value="Employer Name"/>	<input type="text" value="Position"/>	<input type="text" value="Start Date (MM/YYYY)"/>	<input type="text" value="End Date (MM/YYYY)"/>

Employer Address	City	State	Zip Code
<input type="text" value="Employer Address"/>	<input type="text" value="City"/>	<input type="text" value="State (##)"/>	<input type="text" value="Zip Code (#####)"/>

Employer's Phone#	May we contact this employer?
<input type="text" value="Phone (### ### #####)"/>	<input type="radio"/> Yes <input type="radio"/> No

Reason for leaving?

Max 250 Characters

Employer Name	Position	Start Date	End Date
<input type="text" value="Employer Name"/>	<input type="text" value="Position"/>	<input type="text" value="Start Date (MM/YYYY)"/>	<input type="text" value="End Date (MM/YYYY)"/>

Employer Address	City	State	Zip Code
------------------	------	-------	----------

Employer Address

Employer Address

City

City

State

State (##)

Zip Code

Zip Code (#####)

Employer's Phone#

Phone (### ### #####)

May we contact this employer?

Yes  No

Reason for leaving?

Max 250 Characters...

Employer Name

Employer Name

Position

Position

Start Date

Start Date (MM/YYYY)

End Date

End Date (MM/YYYY)

Employer Address

Employer Address

City

City

State

State (##)

Zip Code

Zip Code (#####)

Employer's Phone#

Phone (### ### #####)

May we contact this employer?

Yes  No

Reason for leaving?



Reason for leaving?

Max 250 Characters...

Education

Are you currently in college?

- Yes
- No

High School

Name of High School	Start Date	To	End Date	Did you graduate?
<input type="text" value="High School Name"/>	<input type="text" value="Start Date (MM/YYYY)"/>		<input type="text" value="End Date (MM/YYYY)"/>	<input type="radio"/> Yes <input type="radio"/> No
Diploma or GED	State		Date Received	GPA
<input type="text" value="Diploma or GED"/>	<input type="text" value="State (XX)"/>		<input type="text" value="Month/Year (MM/YYYY)"/>	<input type="text" value="GPA (##.##)"/>

Trade School (\*\*\*)Optional!!

Trade School (\*\*Optional!)

Name of Trade School	Start Date	To	End Date	Did you graduate?
<input type="text" value="Trade School Name"/>	<input type="text" value="Month/Year (MM/YYYY)"/>		<input type="text" value="Month/Year (MM/YYYY)"/>	<input type="radio"/> Yes <input type="radio"/> No
Certificate or Degree	State	Date Received	GPA	
<input type="text" value="Certificate or Degree"/>	<input type="text" value="State (XX)"/>	<input type="text" value="Year (MM/YYYY)"/>	<input type="text" value="GPA (##.##)"/>	

College

Name of College	Start Date	To	End Date	Did you graduate?
<input type="text" value="College Name"/>	<input type="text" value="Year (MM/YYYY)"/>		<input type="text" value="Year (MM/YYYY)"/>	<input type="radio"/> Yes <input type="radio"/> No
Certificate or Degree	State	Date Received	GPA	
<input type="text" value="Degree or Certificate"/>	<input type="text" value="State (XX)"/>	<input type="text" value="Year (MM/YYYY)"/>	<input type="text" value="GPA (##.##)"/>	

College (\*\*Optional!)

College (\*\*Optional!)

Name of College

College Name

Start Date

Year (MM/YYYY)

To

End Date

Year (MM/YYYY)

Did you graduate?

Yes  No

Certificate or Degree

Degree or Certificate

State

State (XX)

Date Received

Month/Year (MM/YYYY)

GPA

GPA (##.##)

Skills

Please List Your Skills!

Max 250 Characters...

References

Reference Name

Person's Name

Years Known

Years (##)

Phone#

Ref. Phone (###-###-####)

Person's Name	Years (##)	Ref. Phone (###-###-####)
Reference Name	Years Known	Phone#
Person's Name	Years (##)	Ref. Phone (###-###-####)
Reference Name	Years Known	Phone#
Person's Name	Years (##)	Ref. Phone (###-###-####)

**Emergency Contact**

Emergency Contact Name	Relationship	Phone Number
Emergency Contact Name	Relationship	Emergency Phone (###-###-####)

**Sign Application**

I hereby testify on my behalf that all information herein of what I have filled out is true to the best of my knowledge and also understand that I can be terminated from employment at anytime if any of the information is found to be untrue.

Please Sign Your Name	Today's Date
Full Name	01/26/2020 11:31:24 PM

Reference Name

Person's Name

Years Known

Years (##)

Phone#

Ref. Phone (### ### ####)

### Emergency Contact

Emergency Contact Name

Emergency Contact Name

Relationship

Relationship

Phone Number

Emergency Phone (### ### ####)

### Sign Application

**I hereby testify on my behalf that all information herein of what I have filled out is true to the best of my knowledge and also understand that I can be terminated from employment at anytime if any of the information is found to be untrue.**

Please Sign Your Name

Full Name

Today's Date

01/26/2020 11:31:24 PM

Submit

```

/*
Created By: Christopher Singleton

NOTE: This database will transfer all information from an ASP.NET Webform
      into the database/manage users/display information.
      I did not create any foreign keys on purpose, but will in the future.
*/
-----
-- CREATE A NEW DATABASE/DROP IT IF EXISTS
-----
USE [master];
GO
If Exists (Select * from Sysdatabases Where Name = 'SINGLETONBI')
    Begin
        ALTER DATABASE [SINGLETONBI] SET SINGLE_USER WITH ROLLBACK IMMEDIATE
        DROP DATABASE [SINGLETONBI]
    End
GO
CREATE DATABASE [SINGLETONBI]
    CONTAINMENT = NONE

-- Make this DB compatible to SQL Server 2012 through SQL Server 2016
-- more info on this link --> https://msdn.microsoft.com/en-us/library/bb510680.aspx
ALTER DATABASE [SINGLETONBI] SET COMPATIBILITY_LEVEL = 110
GO

-----
-- CREATE THE LOGIN
-----
----USE [master]
--GO

-----
-- CREATE THE ADMIN
-----
--IF EXISTS (SELECT * FROM sys.database_principals WHERE name = N'NETADMIN')
--DROP USER [NETADMIN]
--GO

--CREATE LOGIN [NETADMIN] WITH PASSWORD='37Com4me', DEFAULT_DATABASE=SINGLETON_BI, DEFAULT_LANGUAGE=[us_english], CHECK_EXPIRATION=OFF,
CHECK_POLICY=OFF
--GO

-----
-- CREATE A SCHEMA FOR LOGIN
-----

```

```

--EXEC sys.sp_MS_marksystemobject _userLogInInfo
--GO
-----
-- CREATE THE SINGLETON_BI TABLES
-----
USE [SINGLETONBI]
EXEC [SINGLETONBI].dbo.sp_changedbowner @loginame = N'SA', @map=false
SET ANSI_NULLS ON
GO

SET QUOTED_IDENTIFIER ON
GO

SET ANSI_PADDING ON
GO

IF OBJECT_ID('UserLogIn', 'U') IS NOT NULL
DROP TABLE [dbo].[UserLogIn];
GO

CREATE TABLE [dbo].[UserLogIn](
    [ID] INT IDENTITY(1,1) NOT NULL, --Change to userID in the future.
    [UserName] VARCHAR(25) NOT NULL,
    [Password] VARCHAR(25) NOT NULL,
    [Email] VARCHAR(25) NOT NULL, --
    [RegDate] DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP, --<---Add This column in the future.
    [AdminFlag] CHAR(1) NULL,
    CONSTRAINT [PK_SINGLETON_BI_UserLogInAz] PRIMARY KEY CLUSTERED
(
    [ID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY],
    CONSTRAINT [IX_SINGLETON_BI_UserLogIn_1Az] UNIQUE NONCLUSTERED
--(
--    [email] ASC
--)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY],
--    CONSTRAINT [IX_PROG117_personAz] UNIQUE NONCLUSTERED
-----New (below)-----
(
    [Password] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY],
    CONSTRAINT [IX_SINGLETON_BI_UserLogInAz] UNIQUE NONCLUSTERED

-----
(
    [UserName] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]

```

GO

SET ANSI\_PADDING OFF

GO

-----  
-- CREATE THE PROJECT TABLE  
-----

SET ANSI\_NULLS ON

GO

SET QUOTED\_IDENTIFIER ON

GO

SET ANSI\_PADDING ON

GO

IF OBJECT\_ID('project', 'U') IS NOT NULL

DROP TABLE [dbo].[Project];

GO

CREATE TABLE [dbo].[Project](

    [ProjectID] INT IDENTITY(1,1) NOT NULL,

    [ContractNumber] VARCHAR(13) NOT NULL,

    [ProjectName] VARCHAR(50) NOT NULL,

    [ProjectDescription] VARCHAR(250) NOT NULL,

    [ContractTerms] VARCHAR(250) NOT NULL,

    [ContractSignedDate] VARCHAR(25) NOT NULL,

    [ContractStartDate] VARCHAR(25) NOT NULL,

    [ContractEndDate] VARCHAR(25) NOT NULL,

    [ContractLink] VARCHAR(50) NOT NULL,

    CONSTRAINT [PK\_ProjectsAz] PRIMARY KEY CLUSTERED

(

    [ProjectID] ASC

) WITH (PAD\_INDEX = OFF, STATISTICS\_NORECOMPUTE = OFF, IGNORE\_DUP\_KEY = OFF, ALLOW\_ROW\_LOCKS = ON, ALLOW\_PAGE\_LOCKS = ON) ON [PRIMARY]

) ON [PRIMARY]

GO

SET ANSI\_PADDING OFF

GO

-----  
-- CREATE THE EMPLOYEE TABLE  
-----

SET ANSI\_NULLS ON

GO



```
SET QUOTED_IDENTIFIER ON
GO
```

```
SET ANSI_PADDING ON
GO
```

```
IF OBJECT_ID('Employee', 'U') IS NOT NULL
DROP TABLE [dbo].[Employee];
GO
```

```
CREATE TABLE [dbo].[Employee](
    [EmployeeID] INT IDENTITY(1,1) NOT NULL,
    --Employee Info
    [FirstName] VARCHAR(45) NOT NULL,
    [MiddleName] VARCHAR(45) NULL,
    [LastName] VARCHAR(45) NOT NULL,
    [Address] VARCHAR(65) NOT NULL,
    [City] VARCHAR(55) NOT NULL,
    [State] CHAR(2) NOT NULL,
    [ZipCode] VARCHAR(12) NOT NULL,
    [HomePhone] VARCHAR(25) NOT NULL,
    [CellPhone] VARCHAR(25) NOT NULL,
    [Email] VARCHAR(50) NOT NULL,
    [BirthDate] VARCHAR(14) NOT NULL,
    [SSN] VARCHAR(18) NOT NULL,
    [Position] VARCHAR(35) NOT NULL,
    [DateCanStart] VARCHAR(14) NOT NULL,
    [DesiredRate] CHAR(5) NULL,

    --Questions Asked
    [TroubleLaw] CHAR(1) NOT NULL, --Radio Button
    [TroubleLawReason] VARCHAR(350) NULL, --Text Area Box
    [USCitizen] CHAR(1) NOT NULL, --Radio Button
    [MedCondition] CHAR(1) NOT NULL, --Radio Button
    [MedConditionExplained] VARCHAR(350) NULL, --Text Area Box
    [ActiveMilitary] CHAR(1) NOT NULL, --Radio Button
    [FormerMilitary] CHAR(1) NOT NULL, --Radio Button
    [CurrentlyEmployed] CHAR(1) NOT NULL, --Radio Button

    --References (3)
    [Ref1PersonName] VARCHAR(45) NOT NULL,
    [Ref1YearsKnown] CHAR(5) NOT NULL,
    [Ref1Phone] VARCHAR(25) NOT NULL,
    [Ref2PersonName] VARCHAR(45) NOT NULL,
    [Ref2YearsKnown] VARCHAR(5) NOT NULL,
    [Ref2Phone] VARCHAR(25) NOT NULL,
    [Ref3PersonName] VARCHAR(45) NOT NULL,
```

```

[Ref3YearsKnown] CHAR(2) NOT NULL,
[Ref3Phone] VARCHAR(25) NOT NULL,

--EmergencyContact
[EmergencyContactName] VARCHAR(55) NOT NULL,
[EmergencyRelationship] VARCHAR(45) NOT NULL,
[EmergencyPhone] VARCHAR(14) NOT NULL,
[SignedName] VARCHAR(55) NOT NULL,
[SignedDate] VARCHAR(25) NOT NULL, -- Time Stamp in string.

CONSTRAINT [PK_employeeAz] PRIMARY KEY CLUSTERED
(
    [EmployeeID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
--ALTER TABLE Employee ADD CONSTRAINT DF_Employee DEFAULT GETDATE() FOR SignedDate

GO

SET ANSI_PADDING OFF
GO

-----
-- CREATE THE EMPLOYEE TIMECARD TABLE
-----

SET ANSI_NULLS ON
GO

SET QUOTED_IDENTIFIER ON
GO

SET ANSI_PADDING ON
GO

IF OBJECT_ID('EmployeeTimeCard', 'U') IS NOT NULL
DROP TABLE [dbo].[EmployeeTimeCard];
GO

CREATE TABLE [dbo].[EmployeeTimeCard](
    [EmployeeTimeCardID] INT IDENTITY(1,1) NOT NULL, --Primary Key
    --[employeeId][varchar] (25) NOT NULL, --Foreign Key
    [TimeCardNumber] INT NOT NULL,
    [ApprovalHireDate] VARCHAR(14) NOT NULL,
    [Position] VARCHAR(25) NOT NULL,
    [StartDate] VARCHAR(12) NOT NULL,
    [hoursWorked] CHAR(8) NOT NULL,
    [hourlyRate] CHAR(6) NOT NULL,
    [EndDate] VARCHAR(25) NOT NULL,

```

```
[ContractLink] VARCHAR(50) NOT NULL,  
[InsuranceName] VARCHAR(50) NULL,  
[InsuranceFlag] CHAR(1) NOT NULL, --Y or N  
[Manager] CHAR(1) NOT NULL, --Y or N
```

```
CONSTRAINT [PK_EmployeeTimeCardAz] PRIMARY KEY CLUSTERED  
(  
    [EmployeeTimeCardID] ASC  
) WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]  
) ON [PRIMARY]
```

GO

```
SET ANSI_PADDING OFF  
GO
```

```
-----  
-- CREATE THE EMPLOYMENT HISTORY TABLE  
-----
```

```
SET ANSI_NULLS ON  
GO
```

```
SET QUOTED_IDENTIFIER ON  
GO
```

```
SET ANSI_PADDING ON  
GO
```

```
IF OBJECT_ID('EmploymentHistory', 'U') IS NOT NULL  
DROP TABLE [dbo].[EmploymentHistory];  
GO
```

```
CREATE TABLE [dbo].[EmploymentHistory](  
    [EmployerHistoryID] INT IDENTITY(1,1) NOT NULL, --Primary Key  
    --Employer1  
    [Employer1Name] VARCHAR(45) NOT NULL,  
    [Employer1Position] VARCHAR(45) NOT NULL,  
    [Employer1StartDate] CHAR(7) NOT NULL,  
    [Employer1EndDate] CHAR(7) NOT NULL,  
    [Employer1Address] VARCHAR(65) NOT NULL,  
    [Employer1City] VARCHAR(55) NOT NULL,  
    [Employer1State] CHAR(2) NOT NULL,  
    [Employer1ZipCode] VARCHAR(12) NOT NULL,  
    [Employer1Phone] VARCHAR(25) NOT NULL,  
    [Employer1CanContact] CHAR(1) NOT NULL, --Y or N  
    [Employer1ReasonLeft] VARCHAR(250) NOT NULL,  
  
    --Employer2
```

```
[Employer2Name] VARCHAR(45) NOT NULL,  
[Employer2Position] VARCHAR(45) NOT NULL,  
[Employer2StartDate] CHAR(7) NOT NULL,  
[Employer2EndDate] CHAR(7) NOT NULL,  
[Employer2Address] VARCHAR(65) NOT NULL,  
[Employer2City] VARCHAR(55) NOT NULL,  
[Employer2State] CHAR(2) NOT NULL,  
[Employer2ZipCode] VARCHAR(12) NOT NULL,  
[Employer2Phone] VARCHAR(25) NOT NULL,  
[Employer2CanContact] CHAR(1) NOT NULL, --Y or N  
[Employer2ReasonLeft] VARCHAR(250) NOT NULL,
```

```
--Employer3
```

```
[Employer3Name] VARCHAR(45) NOT NULL,  
[Employer3Position] VARCHAR(45) NOT NULL,  
[Employer3StartDate] CHAR(7) NOT NULL,  
[Employer3EndDate] CHAR(7) NOT NULL,  
[Employer3Address] VARCHAR(65) NOT NULL,  
[Employer3City] VARCHAR(25) NOT NULL,  
[Employer3State] CHAR(2) NOT NULL,  
[Employer3ZipCode] VARCHAR(12) NOT NULL,  
[Employer3Phone] VARCHAR(25) NOT NULL,  
[Employer3CanContact] CHAR(1) NOT NULL, --Y or N  
[Employer3ReasonLeft] VARCHAR(250) NOT NULL,
```

```
CONSTRAINT [PK_EmploymentHistoryAz] PRIMARY KEY CLUSTERED
```

```
(  
    [EmployerHistoryID] ASC  
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]  
) ON [PRIMARY]
```

```
SET ANSI_PADDING OFF  
GO
```

```
-----  
-- CREATE EDUCATION HISTORY  
-----
```

```
SET ANSI_NULLS ON  
GO
```

```
SET QUOTED_IDENTIFIER ON  
GO
```

```
SET ANSI_PADDING ON  
GO
```

```
IF OBJECT_ID('EducationHistory', 'U') IS NOT NULL  
DROP TABLE [dbo].[EducationHistory];
```

GO

```
CREATE TABLE [dbo].[EducationHistory](
  [EducationHistoryID] INT IDENTITY(1,1) NOT NULL, --Primary Key
  --Currently In College
  [CurrentlyInCollege] CHAR(1) NOT NULL, --Y or N
  --High School
  [HighSchoolName] VARCHAR(25) NOT NULL,
  [HighSchoolYearAttendedStart] CHAR(7) NULL,
  [HighSchoolYearAttendedEnd] CHAR(7) NOT NULL,
  [HighSchoolGraduate] CHAR(1) NOT NULL, --Y or N
  [HighSchoolDiploma] VARCHAR(25) NOT NULL,
  [HighSchoolState] CHAR(2) NOT NULL,
  [HighSchoolDateReceived] VARCHAR(13) NOT NULL,
  [HighSchoolGPA] VARCHAR(25) NOT NULL,

  --Trade School (Optional)
  [TradeSchoolName] VARCHAR(45) NULL,
  [TradeYearAttendedStart] CHAR(7) NULL,
  [TradeYearAttendedEnd] CHAR(7) NULL,
  [TradeGraduate] CHAR(1) NULL, --Y or N
  [TradeCertificate] VARCHAR(35) NULL,
  [TradeState] CHAR(2) NULL,
  [TradeCertificateDate] VARCHAR(25) NULL,
  [TradeGPA] CHAR(5) NULL,

  --College1
  [College1Name] VARCHAR(45) NOT NULL,
  [College1YearAttendedStart] CHAR(7) NOT NULL,
  [College1YearAttendedEnd] CHAR(7) NOT NULL,
  [College1Graduate] CHAR(1) NOT NULL, --Y or N
  [College1Degree] VARCHAR(55) NOT NULL,
  [College1State] CHAR(2) NOT NULL,
  [College1DegreeDate] VARCHAR(25) NOT NULL,
  [College1GPA] CHAR(5) NOT NULL,

  --College2 (Optional)
  [College2Name] VARCHAR(45) NULL,
  [College2YearAttendedStart] CHAR(7) NULL,
  [College2YearAttendedEnd] CHAR(7) NULL,
  [College2Graduate] CHAR(1) NULL, --Y or N
  [College2Degree] VARCHAR(55) NULL,
  [College2State] CHAR(2) NULL,
  [College2DegreeDate] VARCHAR(25) NULL,
  [College2GPA] CHAR(5) NOT NULL,

  --Skills
  [Skills] VARCHAR(350) NOT NULL,
```

```

CONSTRAINT [PK_EducationHistoryAz] PRIMARY KEY CLUSTERED
(
    [EducationHistoryID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]

SET ANSI_PADDING OFF
GO
CREATE TABLE [dbo].[QuestionCategories](
    [QuestionCategoryID] INT IDENTITY(1,1) NOT NULL --Primary Key
    --[QuestionId][varchar] (25) NOT NULL, --Foreign Key
    ,[ProgrammingLanguageID] INT NOT NULL
    ,[ProgrammingLanguage] VARCHAR(35) NOT NULL
    ,[QuestionType] VARCHAR(25) NOT NULL --Easy, Hard, Hardest

    CONSTRAINT [PK_QuestionCategoryIDAz] PRIMARY KEY CLUSTERED
    (
        [QuestionCategoryID] ASC
    )WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
    ) ON [PRIMARY]
GO
CREATE TABLE [dbo].[FPGAQuestions](
    [QuestionID] INT IDENTITY(1,1) NOT NULL --Primary Key
    ,[UserID] INT NULL --captures who uploaded the image and question.
    ,[UserName] VARCHAR (25) NULL
    ,[QuestionToImageGroupID] INT NULL
    ,[DateQuestionPosted] DATETIME DEFAULT GETDATE() NULL
    ,[NumberOfQuestionsUsed] VARCHAR(3) NULL --Drop Down Selection
    ,[Question] VARCHAR(256) NULL
    ,[CorrectAnswer] VARCHAR(128) NULL
    ,[AnswerIsCorrect] CHAR(1) NULL --Y or N
    ,[DefaultQuestion] VARCHAR(256) NULL
    ,[QuestionStartDate] VARCHAR(25) NULL
    ,[QuestionEndDate] VARCHAR(25) NULL
    ,[QuestionPostedByUserName] VARCHAR (14) NULL
    ,[EndDate] VARCHAR(25) NULL
    ,[VarifiedAdmin] CHAR (1) NULL --Y or N
    ,[IsCurrent] CHAR (1) NULL --Y or N
    ,[PayingCustomer] CHAR (1) NULL --Y or N
    ,[ImageFileName] VARCHAR(45) NULL
    ,[QuestionImage] VARBINARY(MAX) NULL
    ,[QuestionImagePath] VARCHAR(128) NULL
    CONSTRAINT [PK_QuestionIDAz] PRIMARY KEY CLUSTERED
    (
        [QuestionID] ASC
    )WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
    ) ON [PRIMARY]

```

```

GO
CREATE TABLE [dbo].[Files](
    [ID] INT IDENTITY(1,1) NOT NULL,
    [FileName] VARCHAR(50) NOT NULL,
    [ContentType] NVARCHAR(200) NOT NULL,
    [Data] VARBINARY(MAX) NOT NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]

-----
-- CREATE THE FORIEGN KEYS
-----

-----
-- USE THE DATABASE
-----
USE [SINGLETON_BI]
GO

--CREATE USER [NETADMIN] FOR LOGIN [NETADMIN] WITH DEFAULT_SCHEMA=[dbo]
--GO
--ALTER ROLE [db_datareader] ADD MEMBER [NETADMIN]
--GO
--ALTER ROLE [db_datawriter] ADD MEMBER [NETADMIN]
--GO

_*****_
-- Review the results of this script
_*****_
Select 'Database Created'AS SINGLETONBI
Select Name, xType, CrDate from SysObjects
Where xType in ('u', 'PK', 'F')
Order By xType desc, Name

```

---

### EmployeeApplication.cs (DAL in the Class Library)

```

using ClassLibraryQualityBI.Container;
using System;
using System.Collections.Generic;
using System.Configuration;
using System.Data.SqlClient;

```

```

using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Web;
namespace ClassLibraryQualityBI.DAL
{
    public class EmployeeApplication
    {
        public string connStr;

        public string getConnStr()
        {
            /*Defines where the connection string is located and uses the
            configuration manager to initialize the connection.*/
            this.connStr = ConfigurationManager.AppSettings["connectionstring"].ToString();
            return this.connStr;
        }
        private SqlConnection getConn()
        {
            /*Get's the connection string and opens the connection.*/
            this.connStr = this.getConnStr();

            SqlConnection conn = new SqlConnection(connStr);
            conn.Open();
            return conn;
        }
        public string insert(ContEmployee emp, ContEmploymentHistory empHist, ContEducationHistory eduHist)
        {
            /*1. Inserts the user's informatin into the database
            using the connection.*/
            SqlConnection conn = this.getConn();

            string query = ("INSERT INTO [dbo].[EmploymentHistory](" +
                // Employer1
                "[Employer1Name],[Employer1Position],[Employer1StartDate],[Employer1EndDate]" +
                ",[Employer1Address],[Employer1City],[Employer1State],[Employer1ZipCode]" +
                ",[Employer1Phone],[Employer1CanContact],[Employer1ReasonLeft]" +
                // Employer2
                ",[Employer2Name],[Employer2Position],[Employer2StartDate],[Employer2EndDate]" +
                ",[Employer2Address],[Employer2City],[Employer2State],[Employer2ZipCode]" +

```



```

",[Employer2Phone],[Employer2CanContact],[Employer2ReasonLeft]" +
// Employer3
",[Employer3Name],[Employer3Position],[Employer3StartDate],[Employer3EndDate]" +
",[Employer3Address],[Employer3City],[Employer3State],[Employer3ZipCode]" +
",[Employer3Phone],[Employer3CanContact],[Employer3ReasonLeft]" +
" VALUES (    " + empHist.employer1Name +
    ", " + " " + empHist.employer1Position +
    ", " + " " + empHist.employer1StartDate +
    ", " + " " + empHist.employer1EndDate +
    ", " + " " + empHist.employer1Address +
    ", " + " " + empHist.employer1City +
    ", " + " " + empHist.employer1State +
    ", " + " " + empHist.employer1ZipCode +
    ", " + " " + empHist.employer1Phone +
    ", " + " " + empHist.employer1CanContact +
    ", " + " " + empHist.employer1ReasonLeft +

    ", " + " " + empHist.employer2Name +
    ", " + " " + empHist.employer2Position +
    ", " + " " + empHist.employer2StartDate +
    ", " + " " + empHist.employer2EndDate +
    ", " + " " + empHist.employer2Address +
    ", " + " " + empHist.employer2City +
    ", " + " " + empHist.employer2State +
    ", " + " " + empHist.employer2ZipCode +
    ", " + " " + empHist.employer2Phone +
    ", " + " " + empHist.employer2CanContact +
    ", " + " " + empHist.employer2ReasonLeft +

    ", " + " " + empHist.employer3Name +
    ", " + " " + empHist.employer3Position +
    ", " + " " + empHist.employer3StartDate +
    ", " + " " + empHist.employer3EndDate +
    ", " + " " + empHist.employer3Address +
    ", " + " " + empHist.employer3City +
    ", " + " " + empHist.employer3State +
    ", " + " " + empHist.employer3ZipCode +
    ", " + " " + empHist.employer3Phone +
    ", " + " " + empHist.employer3CanContact +
    ", " + " " + empHist.employer3ReasonLeft + " );" +

```

```

"INSERT INTO [dbo].[EducationHistory]([CurrentlyInCollege]" +
// High School
",[HighSchoolName],[HighSchoolYearAttendedStart],[HighSchoolYearAttendedEnd],[HighSchoolGraduate]" +
",[HighSchoolDiploma],[HighSchoolState],[HighSchoolDateReceived],[HighSchoolGPA]" +
// Trade School (Optional)
",[TradeSchoolName],[TradeYearAttendedStart],[TradeYearAttendedEnd]" +
",[TradeGraduate],[TradeCertificate],[TradeState]" +
",[TradeCertificateDate],[TradeGPA]" +
// College1
",[College1Name],[College1YearAttendedStart],[College1YearAttendedEnd]" +
",[College1Graduate],[College1Degree],[College1State],[College1DegreeDate]" +
",[College1GPA]" +
// College2 (Optional)
",[College2Name],[College2YearAttendedStart],[College2YearAttendedEnd]" +
",[College2Graduate],[College2Degree],[College2State],[College2DegreeDate]" +
",[College2GPA],[Skills]" +
" VALUES (    " + eduHist.currentlyInCollege +
    ", " + " " + eduHist.highSchoolName +
    ", " + " " + eduHist.hsYearAttendedStart +
    ", " + " " + eduHist.hsYearAttendedEnd +
    ", " + " " + eduHist.hsGraduate +
    ", " + " " + eduHist.hsDiploma +
    ", " + " " + eduHist.hsState +
    ", " + " " + eduHist.hsDateReceived +
    ", " + " " + eduHist.hsGPA +

    ", " + " " + eduHist.tradeSchoolName +
    ", " + " " + eduHist.tradeYearAttendedStart +
    ", " + " " + eduHist.tradeYearAttendedEnd +
    ", " + " " + eduHist.tradeGraduate +
    ", " + " " + eduHist.tradeCertificate +
    ", " + " " + eduHist.tradeState +
    ", " + " " + eduHist.tradeCertificateDate +
    ", " + " " + eduHist.tradeGPA +

    ", " + " " + eduHist.college1Name +
    ", " + " " + eduHist.college1YearAttendedStart +
    ", " + " " + eduHist.college1YearAttendedEnd +
    ", " + " " + eduHist.college1Graduate +
    ", " + " " + eduHist.college1Degree +

```

```

", " + " "" + eduHist.college1State +
", " + " "" + eduHist.college1DegreeDate +
", " + " "" + eduHist.college1GPA +

", " + " "" + eduHist.college2Name +
", " + " "" + eduHist.college2YearAttendedStart +
", " + " "" + eduHist.college2YearAttendedEnd +
", " + " "" + eduHist.college2Graduate +
", " + " "" + eduHist.college2Degree +
", " + " "" + eduHist.college2State +
", " + " "" + eduHist.college2DegreeDate +
", " + " "" + eduHist.college2GPA +
", " + " "" + eduHist.skills + " ");" +
"INSERT INTO [dbo].[Employee]([FirstName]" +
",[MiddleName],[LastName],[Address],[City],[State]" +
",[ZipCode],[HomePhone],[CellPhone],[Email],[BirthDate]" +
",[SSN],[Position],[DateCanStart],[DesiredRate],[TroubleLaw]" +
",[TroubleLawReason],[USCitizen],[MedCondition],[MedConditionExplained]" +
",[ActiveMilitary],[FormerMilitary],[CurrentlyEmployed],[Ref1PersonName]" +
",[Ref1YearsKnown],[Ref1Phone],[Ref2PersonName],[Ref2YearsKnown],[Ref2Phone]" +
",[Ref3PersonName],[Ref3YearsKnown],[Ref3Phone],[EmergencyContactName]" +
",[EmergencyRelationship],[EmergencyPhone],[SignedName],[SignedDate]" +
") VALUES (" + emp.fName +
", " + " "" + emp.mName +
", " + " "" + emp.lName +
", " + " "" + emp.appAddress +
", " + " "" + emp.appCity +
", " + " "" + emp.appState +
", " + " "" + emp.appZipCode +
", " + " "" + emp.hPhone +
", " + " "" + emp.cPhone +
", " + " "" + emp.eMail +
", " + " "" + emp.dob +
", " + " "" + emp.ssi +
", " + " "" + emp.position +
", " + " "" + emp.dateCanStart +
", " + " "" + emp.desiredHourlyRate +
", " + " "" + emp.troubleLaw +
", " + " "" + emp.troubleLawReason +
", " + " "" + emp.usCitizen +

```

```

    ", " + " " + emp.medCondition +
    ", " + " " + emp.medConditionExplained +
    ", " + " " + emp.activeMilitary +
    ", " + " " + emp.formerMilitary +
    ", " + " " + emp.currentlyEmployed +

    ", " + " " + emp.ref1PersonName +
    ", " + " " + emp.ref1YearsKnown +
    ", " + " " + emp.ref1Phone +

    ", " + " " + emp.ref2PersonName +
    ", " + " " + emp.ref2YearsKnown +
    ", " + " " + emp.ref2Phone +

    ", " + " " + emp.ref3PersonName +
    ", " + " " + emp.ref3YearsKnown +
    ", " + " " + emp.ref3Phone +

    ", " + " " + emp.EmergencyContactName +
    ", " + " " + emp.EmergencyRelationship +
    ", " + " " + emp.EmergencyPhone +
    ", " + " " + emp.SignedName +
    ", " + " " + emp.SignedDate + ") SELECT SCOPE_IDENTITY();");

```

```

SqlCommand cmd = new SqlCommand(query);
cmd.CommandType = System.Data.CommandType.Text;
cmd.Connection = conn;
/*Define the data reader and initialize it, read the information
 from the database where the id exists and then close the reader.*/
SqlDataReader reader = cmd.ExecuteReader();
reader.Read();

emp.employeeId = reader[0].ToString();

HttpContext.Current.Session["EmployeeID"] = emp.employeeId;
conn.Close();
return emp.employeeId;
}
}
}

```

---

---

ContEducationHistory.cs ("Container" folder in Class Library)

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
namespace ClassLibraryQualityBI.Container
{
    public class ContEducationHistory
    {
        public string currentlyInCollege;
        public string highSchoolName;
        public string hsYearAttendedStart;
        public string hsYearAttendedEnd;
        public string hsGraduate;
        public string hsDiploma;
        public string hsState;
        public string hsDateReceived;
        public string hsGPA;
        public string tradeSchoolName;
        public string tradeYearAttendedStart;
        public string tradeYearAttendedEnd;
        public string tradeGraduate;
        public string tradeCertificate;
        public string tradeState;
        public string tradeCertificateDate;
        public string tradeGPA;
        public string college1Name;
        public string college1YearAttendedStart;
        public string college1YearAttendedEnd;
        public string college1Graduate;
        public string college1Degree;
        public string college1State;
        public string college1DegreeDate;
        public string college1GPA;
        public string college2Name;
        public string college2YearAttendedStart;
        public string college2YearAttendedEnd;
        public string college2Graduate;
        public string college2Degree;
        public string college2State;
        public string college2DegreeDate;
        public string college2GPA;
        public string skills;
    }
}
```

---

---

## ContEmployee.cs ("Container" folder in Class Library)

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
namespace ClassLibraryQualityBI.Container
{ public class ContEmployee
    { public string fName;
      public string mName;
      public string lName;
      public string appAddress;
      public string appCity;
      public string appState;
      public string appZipCode;
      public string hPhone;
      public string cPhone;
      public string eMail;
      public string dob;
      public string ssi;
      public string position;
      public string dateCanStart;
      public string desiredHourlyRate;
      public string troubleLaw;
      public string troubleLawReason;
      public string usCitizen;
      public string medCondition;
      public string medConditionExplained;
      public string activeMilitary;
      public string formerMilitary;
      public string currentlyEmployed;
      public string ref1PersonName;
      public string ref1YearsKnown;
      public string ref1Phone;
      public string ref2PersonName;
      public string ref2YearsKnown;
      public string ref2Phone;
      public string ref3PersonName;
      public string ref3YearsKnown;
      public string ref3Phone;
      public string EmergencyContactName;
      public string EmergencyRelationship;
      public string EmergencyPhone;
      public string SignedName;
      public string SignedDate;
      public string employeeId;
    }
}
```

---

---

ContEmploymentHistory.cs ("Container" folder in Class Library)

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
namespace ClassLibraryQualityBI.Container
{
    public class ContEmploymentHistory
    {
        // Employment History1
        public string employer1Name;
        public string employer1Position;
        public string employer1StartDate;
        public string employer1EndDate;
        public string employer1Address;
        public string employer1City;
        public string employer1State;
        public string employer1ZipCode;
        public string employer1Phone;
        public string employer1CanContact;
        public string employer1ReasonLeft;
        // Employment History2
        public string employer2Name;
        public string employer2Position;
        public string employer2StartDate;
        public string employer2EndDate;
        public string employer2Address;
        public string employer2City;
        public string employer2State;
        public string employer2ZipCode;
        public string employer2Phone;
        public string employer2CanContact;
        public string employer2ReasonLeft;
        // Employment History3
        public string employer3Name;
        public string employer3Position;
        public string employer3StartDate;
        public string employer3EndDate;
        public string employer3Address;
        public string employer3City;
        public string employer3State;
        public string employer3ZipCode;
        public string employer3Phone;
        public string employer3CanContact;
        public string employer3ReasonLeft;
    }
}
```

---

---

## QUALITY\_BI\_UI hireApplication.aspx (HTML5 in "Admin" folder)

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="hireApplication.aspx.cs" Inherits="ClassLibraryQualityBI.Admin.hireApplication" %>
```

```
<%@ Register Assembly="AjaxControlToolkit" Namespace="AjaxControlToolkit" TagPrefix="cc1" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title>Online Application</title>
```

```
<link href=" ../CSS/MasterStyle.css" rel="stylesheet" />
```

```
</head>
```

```
<body class="bodyApplication">
```

```
<form id="formApplication" method="post" runat="server">
```

```
<%-----User Information Section-----%>
```

```
<%-----%>
```

```
<div id="divHeaderApp" runat="server">
```

```
<asp:Label ID="lbl_HeaderApp" runat="server" Text="<u>QUALITY BI DEVELOPERS Application Form</u>"></asp:Label>
```

```
</div>
```

```
<br />
```

```
<div>
```

```
<asp:Label ID="lbl_SubHeaderApp" runat="server" Text="Please fill in all the information!" style="color:red;" ></asp:Label><br />
```

```
</div>
```

```
<fieldset>
```

```
<legend style="font-weight: bold; font-size: medium; color: #000000">Employee Information</legend>
```

```
<br />
```

```
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
```

```
<div>
```

```
<asp:Label ID="lbl_AppFirstName" runat="server" Text="First Name" Font-Size="Medium"></asp:Label>
```

```
</div>
```

```
<div>
```

```
<asp:Label ID="lbl_AppMiddleName" runat="server" Text="*Middle Name" Font-Size="Medium"></asp:Label>
```

```
</div>
```

```
<div>
```

```
<asp:Label ID="lbl_AppLastName" runat="server" Text="Last Name" Font-Size="Medium"></asp:Label>
```

```
</div>
```

```
</div><%--End of FlexWrapper--%>
```

```
<!--<br />-->
```

```
<div>
```

```
<asp:TextBox ID="txb_firstName" Cssclass="BoxStyleHireApp" runat="server" required ="required"></asp:TextBox>
```

```
<asp:TextBox ID="txb_middleName" Cssclass="BoxStyleHireApp" runat="server"></asp:TextBox>
```

```
<asp:TextBox ID="txb_LastName" Cssclass="BoxStyleHireApp" runat="server" required ="required"></asp:TextBox>
```

```
</div>
```

```
<br />
```

```
<br />
```

```
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
```



```

<asp:Label ID="lbl_AppAddress" runat="server" Text="Address" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_AppCity" runat="server" Text="City" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_AppState" runat="server" Text="State" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_AppZipCode" runat="server" Text="Zip Code" Font-Size="Medium"></asp:Label>
</div><%--End of FlexWrapper--%>
<!--<br />-->
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
  <div>
    <asp:TextBox ID="txb_Address" Cssclass="BoxStyleHireApp" runat="server" required ="required"></asp:TextBox>
  </div>
  <div>
    <asp:TextBox ID="txb_City" Cssclass="BoxStyleHireAppCityStateZip" runat="server" required ="required"></asp:TextBox>
  </div>
  <div>
    <asp:TextBox ID="txb_State" Cssclass="BoxStyleHireAppCityStateZip" MaxLength="2" runat="server" required ="required" Width="65px"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
      ControlToValidate="txb_State" style="color:red;" CssClass="display-next"
      ErrorMessage="*Not a valid state!"
      ValidationExpression=
        "^(?:[A(KLRZ)]|C[AOT]|D[CE]|FL|GA|HI|I[ADLN]|K[SY]|LA|M[ADEINOST]|N[CDEHJMVY]|O[HKR]|P[AR]|R|S[CD]|T[NX]|UT|V[AIT]|W[AIVY]))$"
      Font-Size="Medium"
    ></asp:RegularExpressionValidator>
  </div>
  <div>
    <asp:TextBox ID="txb_ZipCode" Cssclass="BoxStyleHireAppCityStateZip" runat="server" required ="required" Width="108px" MaxLength="10"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
      ControlToValidate="txb_ZipCode" style="color:red;" CssClass="display-next"
      ErrorMessage="*Not a valid zip code!"
      ValidationExpression="^\d{5}$|^d{5}-\d{4}$"
      Font-Size="Medium"
    ></asp:RegularExpressionValidator>
  </div>
</div><%--End of FlexWrapper--%>
<br />
<br />

<asp:Label ID="lbl_AppHPhoneNumb" runat="server" Text="*Home Phone Number" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_AppCPhoneNumb" runat="server" Text="Cell Phone Number" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_AppEmailAdd" runat="server" Text="Email Address" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
  <div>
    <asp:ScriptManager ID="ScriptManager1" runat="server"></asp:ScriptManager>

    <asp:TextBox ID="txb_HomePhoneNumb" Cssclass="BoxStyleHireAppCityStateZip" runat="server" Width="175" MaxLength="14"></asp:TextBox>
    <%--MaskedEditExtender Created with: ASP.NET AJAX Control Toolkit: https://ajaxcontroltoolkit.codeplex.com--%>
    <cc1:MaskedEditExtender ID="MaskedEditExtenderHomePhoneNumb" runat="server"
      TargetControlID="txb_HomePhoneNumb"
      ClearMaskOnLostFocus ="False"

```



```

<asp:TextBox ID="txb_DOB" Cssclass="BoxStyleHireAppCityStateZip" runat="server" required="required" MaxLength="10"></asp:TextBox>
  <cc1:CalendarExtender ID="CalendarExtendertxb_DOB" runat="server" TargetControlID="txb_DOB" DaysModeTitleFormat="MMMM, yyyy" Format="MM/dd/yyyy" />
  <asp:RegularExpressionValidator runat="server"
ControlToValidate="txb_DOB" style="color:red;" CssClass="display-next"
ErrorMessage="*Not a valid date (MM/DD/YYYY)!"
ValidationExpression="^(0[1-9]|1[012])[- /.](0[1-9]|[12][0-9]|3[01])[- /.](19|20)\d\d$" Font-Size="Medium"
></asp:RegularExpressionValidator>
</div>
<div>
<asp:TextBox ID="txb_SINumb" Cssclass="BoxStyleHireAppCityStateZip" runat="server" required="required" Width="150px" MaxLength="12"></asp:TextBox>
  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_SINumb" style="color:red;" CssClass="display-next"
    ErrorMessage="*Not a valid SS Number!"
    ValidationExpression="^(?!000)(?!666)(?!9)\d{3}([- ]?(?!00)\d{2}\1?!0000)\d{4}$" Font-Size="Medium"
  ></asp:RegularExpressionValidator>
</div>
</div><%--End of FlexWrapper--%>
<br /><br />
<asp:Label ID="lbl_Position" runat="server" Text="Position:" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_StartDate" runat="server" Text="When can you start?" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_AppHourlyRate" runat="server" Text="*Desired Hourly Rate" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
  <div>
    <asp:DropDownList ID="DropBoxDownListPosition" class="RadioHover" runat="server" style="color:red;" required="required" CssClass="BoxStyleHireAppCityStateZip"
      Font-Size="Medium" Height="24px">
      <asp:ListItem Text="--Select Position--"></asp:ListItem>
      <asp:ListItem Text="BI Analyst" Value="BI Analyst"></asp:ListItem>
      <asp:ListItem Text="SR BI Analyst" Value="SR BI Analyst"></asp:ListItem>
      <asp:ListItem Text="BI Developer" Value="BI Developer"></asp:ListItem>
      <asp:ListItem Text="SR BI Developer" Value="SR BI Developer"></asp:ListItem>
      <asp:ListItem Text="Data Engineer" Value="Data Engineer"></asp:ListItem>
      <asp:ListItem Text="ASP.Net Developer" Value="ASP.Net Developer"></asp:ListItem>
      <asp:ListItem Text="QA Administrator" Value="QA Administrator"></asp:ListItem>
      <asp:ListItem Text="QA Manager" Value="QA Manager"></asp:ListItem>
      <asp:ListItem Text="Database Administrator" Value="Database Administrator"></asp:ListItem>
      <asp:ListItem Text="HR Manager" Value="HR Manager"></asp:ListItem>
      <asp:ListItem Text="Accountant" Value="Accountant"></asp:ListItem>
      <asp:ListItem Text="Secretary" Value="Secretary"></asp:ListItem>
      <asp:ListItem Text="Sales Rep" Value="Sales Rep"></asp:ListItem>
      <asp:ListItem Text="Data Clerk" Value="Data Clerk"></asp:ListItem>
    </asp:DropDownList>
    <asp:RequiredFieldValidator ID="RequiredFieldValidatorDropDownListPosition" runat="server"
      ControlToValidate="DropBoxDownListPosition" style="color:red;" CssClass="display-next"
      ErrorMessage="***Please select!"
      Font-Size="Medium"></asp:RequiredFieldValidator>
  </div>
</div>

```

```

<asp:TextBox ID="txb_DateCanStart" runat="server" Cssclass="BoxStyleHireAppCityStateZip" required="required" MaxLength="10"></asp:TextBox>
<cc1:CalendarExtender ID="CalendarExtendertxb_DateCanStart" runat="server" TargetControlID="txb_DateCanStart" DaysModeTitleFormat="MMMM, yyyy" Format="MM/dd/yyyy" />
  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_DateCanStart" style="color:red;" CssClass="display-next"
    ErrorMessage="*Not a valid date (MM/DD/YYYY)!"
    ValidationExpression="^(0[1-9]|1[012])[- /.](0[1-9]|[12][0-9]|3[01])[- /.](19|20)\d\d$" Font-Size="Medium"
  ></asp:RegularExpressionValidator>
</div>
<div>
  <asp:TextBox ID="txb_DesiredHourlyRate" runat="server" Cssclass="BoxStyleHireAppCityStateZip" Width="135px" MaxLength="6"></asp:TextBox>
</div>
</div><%--End of FlexWrapper--%>
<br />
</fieldset>
<%-----Legal Status-----%>
<%-----%>
<br />
<fieldset>
  <legend style="font-size: medium; font-weight: bold; color: #000000">Legal Status</legend>
  <asp:Label ID="lbl_TroubleWithLaw" runat="server"
    Text="Have you ever been convicted of a felony by a court of law or are there any reasons why you cannot pass"+
    " a background check or have you ever been denied a security clearance?" Font-Size="Medium"></asp:Label>
<br />
  <asp:RadioButtonList ID="RadioButtonListTroubleLaw" Cssclass="RadioHover" runat="server"
    ValidationGroup="TroubleLaw" Font-Size="Medium">
    <asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
    <asp:ListItem Text="No" Value="N"></asp:ListItem></asp:RadioButtonList>
  <asp:RequiredFieldValidator ID="RequiredFieldValidatorTroubleLaw"
    runat="server"
    ControlToValidate="RadioButtonListTroubleLaw" style="color:red;" CssClass="display-next"
    ErrorMessage="***Please select!"
    Font-Size="Medium"></asp:RequiredFieldValidator>
<br />
  <asp:Label ID="ConvictedFelon" runat="server" Text="If Yes, please explain!" Font-Size="Medium"></asp:Label>
<br />
  <textarea id="txtarea_TroubleLaw" class="RadioHover" cols="45" rows="12" style="color:red;" maxlength="350" placeholder="Max 350 Characters..."></textarea>
<br /><br />
  <asp:Label ID="lbl_USCitizen" runat="server" Text="Are you eligible to work in the U.S.? Could you, once employed, submit documentation to that effect?" Font-
Size="Medium"></asp:Label>
<br />
  <asp:RadioButtonList ID="RadioListCitizen" Cssclass="RadioHover" runat="server"
    ValidationGroup="Citizen" Font-Size="Medium">
    <asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
    <asp:ListItem Text="No" Value="N"></asp:ListItem></asp:RadioButtonList>
  <asp:RequiredFieldValidator ID="RequiredFieldValidatorCitizen"
    runat="server"
    ControlToValidate="RadioListCitizen" style="color:red;" CssClass="display-next"
    ErrorMessage="***Please select!"
    Font-Size="Medium"></asp:RequiredFieldValidator>

```

```

</fieldset>
<%-----Medical Status-----%>
<%-----%>
<br /><br />
<fieldset>
<legend style="font-size: medium; font-weight: bold; color: #000000">Medical Status</legend>
<asp:Label ID="lbl_AppMedicalStatus" runat="server" Text="Do you have any medical conditions that would need any kinds of accommodations "+"
in doing your job? Are there any medical conditins that would prevent you from doing the work in the position that you are applying for?" Font-Size="Medium"></asp:Label>
<br />
<asp:RadioButtonList ID="RadioButtonListMedCondition" Cssclass="RadioHover" runat="server"
ValidationGroup="MedCondition" Font-Size="Medium">
<asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
<asp:ListItem Text="No" Value="N"></asp:ListItem></asp:RadioButtonList>
<asp:RequiredFieldValidator ID="RequiredFieldValidatorMedCondition"
runat="server"
ControlToValidate="RadioButtonListMedCondition" style="color:red;" CssClass="display-next"
ErrorMessage="***Please select!"
Font-Size="Medium"></asp:RequiredFieldValidator>
<br />
<asp:Label ID="lbl_MedicalYes" runat="server" Text="If Yes, please explain!" Font-Size="Medium"></asp:Label>
<br />
<textarea id="txtarea_MedicalConditions" class="RadioHover" cols="45" rows="12" style="color:red;" placeholder="Max 350 Characters..." maxlength="350"></textarea>
<br /><br />
</fieldset>
<%-----Veteran Status-----%>
<%-----%>
<br /><br />
<fieldset>
<legend style="font-size: medium; font-weight: bold; font-style: normal; color: #000000">Veterans Service Status</legend>
<asp:Label ID="lbl_ActiveMilitary" runat="server" Text="Are you currently in active military service?" Font-Size="Medium"></asp:Label>
<br />
<asp:RadioButtonList ID="RadioButtonListActiveMilitary" Cssclass="RadioHover" runat="server"
ValidationGroup="ActiveMilitary" Font-Size="Medium">
<asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
<asp:ListItem Text="No" Value="N"></asp:ListItem>
</asp:RadioButtonList>
<asp:RequiredFieldValidator ID="RequiredFieldValidatorActiveMilitary"
runat="server"
ControlToValidate="RadioButtonListActiveMilitary" style="color:red;" CssClass="display-next"
ErrorMessage="***Please select!"
Font-Size="Medium"></asp:RequiredFieldValidator>
<br /><br />
<asp:Label ID="lbl_FormerMilitary" runat="server" Text="Have you ever been in the military?" Font-Size="Medium"></asp:Label>
<br />
<asp:RadioButtonList ID="RadioButtonFormerMilitaryService" Cssclass="RadioHover" runat="server"
ValidationGroup="MilitaryService" Font-Size="Medium">
<asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
<asp:ListItem Text="No" Value="N"></asp:ListItem>
</asp:RadioButtonList>

```

```

<asp:RequiredFieldValidator ID="RequiredFieldValidatorMilitaryService"
  runat="server"
  ControlToValidate="RadioButtonFormerMilitaryService" style="color:red;" CssClass="display-next"
  ErrorMessage="***Please select!"
  Font-Size="Medium"></asp:RequiredFieldValidator>
<br /><br />
</fieldset>
<br /><br />
<%-----Employment Status-----%>
<%-----%>
<fieldset>
<legend style="font-size: medium; font-weight: bold; font-style: normal; color: #000000">Employment History</legend>
<asp:Label ID="lbl_AppEmployed" runat="server" Text="Are you currently employed?" Font-Size="Medium"></asp:Label>
<br />
<asp:RadioButtonList ID="RadioButtonListCurrentlyEmployed" Cssclass="RadioHover" runat="server"
  ValidationGroup="CurrentlyEmployed" Font-Size="Medium">
  <asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
  <asp:ListItem Text="No" Value="N"></asp:ListItem></asp:RadioButtonList>
<asp:RequiredFieldValidator ID="RequiredFieldValidatorCurrentlyEmployed"
  runat="server"
  ControlToValidate="RadioButtonListCurrentlyEmployed" style="color:red;" CssClass="display-next"
  ErrorMessage="***Please select!"
  Font-Size="Medium"></asp:RequiredFieldValidator>
<br /><br /><br />
<asp:Label ID="lbl_Employer1Name" runat="server" Text="Employer Name" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer1Position" runat="server" Text="Position" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer1StartDate" runat="server" Text="Start Date" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer1EndDate" runat="server" Text="End Date" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
  <div>
    <asp:TextBox ID="txb_Employer1Name" Cssclass="BoxStyleHireApp" placeholder="Employer Name" runat="server"></asp:TextBox>
  </div>
  <div>
    <asp:TextBox ID="txb_Employer1Position" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Position" runat="server"></asp:TextBox>
  </div>
  <div>
    <asp:TextBox ID="txb_Employer1StartDate" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Start Date (MM/YYYY)" runat="server" MaxLength="7"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
      ControlToValidate="txb_Employer1StartDate" style="color:red;" CssClass="display-next"
      ErrorMessage="*Not a valid date (MM/YYYY)!"
      ValidationExpression="^((0[1-9])|(1[0-2]))\{\d{4}\}$" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
  </div>
  <div>
    <asp:TextBox ID="txb_Employer1EndDate" Cssclass="BoxStyleHireAppCityStateZip" placeholder="End Date (MM/YYYY)" runat="server" MaxLength="7"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
      ControlToValidate="txb_Employer1EndDate" style="color:red;" CssClass="display-next"
      ErrorMessage="*Not a valid date (MM/YYYY)!"
    >
  </div>

```

```

        ValidationExpression="^\{(0[1-9])|(1[0-2])\}\(\d{4}\}$" Font-Size="Medium"
    </asp:RegularExpressionValidator>
</div>
</div><!--End of FlexWrapper-->
<br /><br />
<asp:Label ID="lbl_Employer1Address" runat="server" Text="Employer Address" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer1City" runat="server" Text="City" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer1State" runat="server" Text="State" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer1ZipCode" runat="server" Text="Zip Code" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><!--Begin FlexWrapper-->
    <div>
        <asp:TextBox ID="txb_Employer1Address" Cssclass="BoxStyleHireApp" placeholder="Employer Address" runat="server"></asp:TextBox>
    </div>
    <div>
        <asp:TextBox ID="txb_Employer1City" Cssclass="BoxStyleHireAppCityStateZip" placeholder="City" runat="server"></asp:TextBox>
    </div>
    <div>
        <asp:TextBox ID="txb_Employer1State" Cssclass="BoxStyleHireAppCityStateZip" placeholder="State (##)" runat="server" MaxLength="2" Width="65px"></asp:TextBox>
        <asp:RegularExpressionValidator runat="server"
            ControlToValidate="txb_Employer1State" style="color:red;" CssClass="display-next"
            ErrorMessage="*Invalid state!"
            ValidationExpression="^\{?(A|K|L|R|Z)|C[A|O|T]|D[CE]|FL|GA|HI|I[AD|LN]|K[SY]|LA|M[ADE|IN|OST]|N[CDE|H|J|M|VY]|O[H|K|R]|P[AR]|R|S[CD]|T[INX]|UT|V[A|IT]|W[A|IVY])\}$"
            Font-Size="Medium"
        ></asp:RegularExpressionValidator>
    </div>
    <div>
        <asp:TextBox ID="txb_Employer1ZipCode" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Zip Code (#####)" runat="server" MaxLength="10"></asp:TextBox>
        <asp:RegularExpressionValidator runat="server"
            ControlToValidate="txb_Employer1ZipCode" style="color:red;" CssClass="display-next"
            ErrorMessage="*Not a valid zip code!"
            ValidationExpression="^\d{5}$|^(\d{5}-\d{4})$" Font-Size="Medium"
        ></asp:RegularExpressionValidator>
    </div>
</div><!--End of FlexWrapper-->
<br /><br />
<asp:Label ID="lbl_Employer1Phone" runat="server" Text="Employer's Phone#" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer1Contact" runat="server" Text="May we contact this employer?" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><!--Begin FlexWrapper-->
    <div>
        <asp:TextBox ID="txb_Employer1Phone" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Phone (###-###-####)" runat="server" Font-Size="Smaller"
            MaxLength="14"></asp:TextBox>
        <cc1:MaskedEditExtender ID="MaskedEditExtenderEmployer1Phone" runat="server"
            TargetControlID="txb_Employer1Phone"
            ClearMaskOnLostFocus="False"
            MaskType="Number"
            Mask="(999) 999-9999"
            MessageValidatorTip="True"
        >
    </div>
</div>

```

```

    InputDirection="LeftToRight"
    ErrorTooltipEnabled="True"
  />

  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_Employer1Phone" style="color:red;" CssClass="display-next"
    ErrorMessage="*Not a valid phone number!"
    ValidationExpression="^\d{3}\d?\d{3}\d?(\d{4})$" Font-Size="Medium"
  ></asp:RegularExpressionValidator>
</div>
<div>
<asp:RadioButtonList ID="RadioButtonListEmployer1Contact" Cssclass="RadioHover" runat="server"
  RepeatDirection="Horizontal"
  ValidationGroup="Employer1Contact" Font-Size="Medium">
  <asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
  <asp:ListItem Text="No" Value="N"></asp:ListItem>
</asp:RadioButtonList>
<asp:RequiredFieldValidator ID="RequiredFieldValidatorEmployer1Contact"
  runat="server"
  ControlToValidate="RadioButtonListEmployer1Contact" style="color:red;" CssClass="display-next"
  ErrorMessage="***Please select!"
  Font-Size="Medium"></asp:RequiredFieldValidator>
</div>
</div><!--End of FlexWrapper-->
<br /><br />
<asp:Label ID="lbl_ReasonForLeaving1" runat="server" Text="Reason for leaving?" Font-Size="Medium"></asp:Label>
<br />
<textarea id="txtarea_Employer1ReasonForLeaving" class="RadioHover" cols="40" rows="6" style="color:red;" maxlength="250" placeholder="Max 250 Characters"></textarea>
<br /><br /><br /><br />
<asp:Label ID="lbl_Employer2Name" runat="server" Text="Employer Name" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer2Position" runat="server" Text="Position" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer2StartDate" runat="server" Text="Start Date" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer2EndDate" runat="server" Text="End Date" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><!--Begin FlexWrapper-->
  <div>
    <asp:TextBox ID="txb_Employer2Name" Cssclass="BoxStyleHireApp" placeholder="Employer Name" runat="server"></asp:TextBox>
  </div>
  <div>
    <asp:TextBox ID="txb_Employer2Position" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Position" runat="server"></asp:TextBox>
  </div>
  <div>
    <asp:TextBox ID="txb_Employer2StartDate" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Start Date (MM/YYYY)" runat="server" MaxLength="7"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
      ControlToValidate="txb_Employer2StartDate" style="color:red;" CssClass="display-next"
      ErrorMessage="*Not a valid date (MM/YYYY)!"
      ValidationExpression="^(0[1-9])|(1[0-2])\d{4}$" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
  </div>
</div>

```



```

<div>
  <asp:TextBox ID="txb_Employer2EndDate" Cssclass="BoxStyleHireAppCityStateZip" placeholder="End Date (MM/YYYY)" runat="server" MaxLength="7"></asp:TextBox>
  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_Employer2EndDate" style="color:red;" CssClass="display-next"
    ErrorMessage="*Not a valid date (MM/YYYY)!"
    ValidationExpression="^((0[1-9])|(1[0-2]))\V{\d{4}}$" Font-Size="Medium"
  ></asp:RegularExpressionValidator>
</div>
</div><%--End of FlexWrapper--%>
<br /><br />
<asp:Label ID="lbl_Employer2Address" runat="server" Text="Employer Address" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer2City" runat="server" Text="City" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer2State" runat="server" Text="State" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer2ZipCode" runat="server" Text="Zip Code" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
<div>
  <asp:TextBox ID="txb_Employer2Address" Cssclass="BoxStyleHireApp" placeholder="Employer Address" runat="server"></asp:TextBox>
</div>
<div>
  <asp:TextBox ID="txb_Employer2City" Cssclass="BoxStyleHireAppCityStateZip" placeholder="City" runat="server"></asp:TextBox>
</div>
<div>
  <asp:TextBox ID="txb_Employer2State" Cssclass="BoxStyleHireAppCityStateZip" placeholder="State (##)" runat="server" MaxLength="2" Width="65px"></asp:TextBox>
  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_Employer2State" style="color:red;" CssClass="display-next"
    ErrorMessage="*Invalid state!"
    ValidationExpression=
      "^(?:[A[KLRZ]|C[AOT]|D[CE]|FL|GA|HI|I[ADLN]|K[SY]|LA|M[ADEINOST]|N[CDEHJMVY]|O[HKR]|P[AR]|R|S[CD]|T[NX]|UT|V[AIT]|W[AIVY]))$"
    Font-Size="Medium"
  ></asp:RegularExpressionValidator>
</div>
<div>
  <asp:TextBox ID="txb_Employer2ZipCode" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Zip Code (#####)" runat="server" MaxLength="10"></asp:TextBox>
  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_Employer2ZipCode" style="color:red;" CssClass="display-next"
    ErrorMessage="*Not a valid zip code!"
    ValidationExpression="^\d{5}$|^{\d{5}}-\d{4}$" Font-Size="Medium"
  ></asp:RegularExpressionValidator>
</div>
</div><%--End of FlexWrapper--%>
<br /><br />
<asp:Label ID="lbl_Employer2Phone" runat="server" Text="Employer's Phone#" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer2Contatct" runat="server" Text="May we contact this employer?" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
<div>
  <asp:TextBox ID="txb_Employer2Phone" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Phone (###-###-####)" runat="server" Font-Size="Smaller"
    MaxLength="14"></asp:TextBox>

```

```

<cc1:MaskedEditExtender ID="MaskedEditExtenderEmployer2Phone" runat="server"
TargetControlID="txb_Employer2Phone"
ClearMaskOnLostFocus ="False"
MaskType="Number"
Mask="(999) 999-9999"
MessageValidatorTip="True"
InputDirection="LeftToRight"
ErrorToolTipEnabled="True"
/>
<asp:RegularExpressionValidator runat="server"
ControlToValidate="txb_Employer2Phone" style="color:red;" CssClass="display-next"
ErrorMessage="*Not a valid phone number!"
ValidationExpression="^\d{3}\d{3}\d{3}\d{4}$" Font-Size="Medium"
></asp:RegularExpressionValidator>
</div>
<div>
<asp:RadioButtonList ID="RadioButtonListEmployer2Contact" Cssclass="RadioHover" runat="server"
RepeatDirection="Horizontal"
ValidationGroup="Employer2Contact" Font-Size="Medium">
<asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
<asp:ListItem Text="No" Value="N"></asp:ListItem>
</asp:RadioButtonList>
<asp:RequiredFieldValidator ID="RequiredFieldValidatorEmployer2Contact"
runat="server"
ControlToValidate="RadioButtonListEmployer2Contact" style="color:red;" CssClass="display-next"
ErrorMessage="***Please select!"
Font-Size="Medium"></asp:RequiredFieldValidator>
</div>
</div><!--End of FlexWrapper-->
<br /><br />
<asp:Label ID="lbl_ReasonForLeaving2" runat="server" Text="Reason for leaving?" Font-Size="Medium"></asp:Label>
<br />
<textarea id="txtarea_Employer2ReasonForLeaving" class="RadioHover" cols="40" rows="6" style="color:red;" placeholder="Max 250 Characters..." maxlength="250"></textarea>
<br /><br /><br /><br />
<asp:Label ID="lbl_Employer3Name" runat="server" Text="Employer Name" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer3Position" runat="server" Text="Position" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer3StartDate" runat="server" Text="Start Date" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer3EndDate" runat="server" Text="End Date" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><!--Begin FlexWrapper-->
<div>
<asp:TextBox ID="txb_Employer3Name" Cssclass="BoxStyleHireApp" placeholder="Employer Name" runat="server"></asp:TextBox>
</div>
<div>
<asp:TextBox ID="txb_Employer3Position" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Position" runat="server"></asp:TextBox>
</div>
<div>
<asp:TextBox ID="txb_Employer3StartDate" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Start Date (MM/YYYY)" runat="server" MaxLength="7"></asp:TextBox>
<asp:RegularExpressionValidator runat="server"

```

```

ControlToValidate="txb_Employer3StartDate" style="color:red;" CssClass="display-next"
ErrorMessage="*Not a valid date (MM/YYYY)!"
ValidationExpression="^(0[1-9])|(1[0-2]))\\(\\d{4})$" Font-Size="Medium"
</asp:RegularExpressionValidator>
</div>
<div>
<asp:TextBox ID="txb_Employer3EndDate" Cssclass="BoxStyleHireAppCityStateZip" placeholder="End Date (MM/YYYY)" runat="server" MaxLength="7"></asp:TextBox>
<asp:RegularExpressionValidator runat="server"
ControlToValidate="txb_Employer3EndDate" style="color:red;" CssClass="display-next"
ErrorMessage="*Not a valid date (MM/YYYY)!"
ValidationExpression="^(0[1-9])|(1[0-2]))\\(\\d{4})$" Font-Size="Medium"
></asp:RegularExpressionValidator>
</div>
</div><!--End of FlexWrapper-->
<br /><br />
<asp:Label ID="lbl_Employer3Address" runat="server" Text="Employer Address" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer3City" runat="server" Text="City" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer3State" runat="server" Text="State" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer3ZipCode" runat="server" Text="Zip Code" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><!--Begin FlexWrapper-->
<div>
<asp:TextBox ID="txb_Employer3Address" Cssclass="BoxStyleHireApp" placeholder="Employer Address" runat="server"></asp:TextBox>
</div>
<div>
<asp:TextBox ID="txb_Employer3City" Cssclass="BoxStyleHireAppCityStateZip" placeholder="City" runat="server"></asp:TextBox>
</div>
<div>
<asp:TextBox ID="txb_Employer3State" Cssclass="BoxStyleHireAppCityStateZip" placeholder="State (##)" runat="server" MaxLength="2" Width="65px"></asp:TextBox>
<asp:RegularExpressionValidator runat="server"
ControlToValidate="txb_Employer3State" style="color:red;" CssClass="display-next"
ErrorMessage="*Invalid state!"
ValidationExpression=
"^(?:[A[KLRZ]|C[AOT]|D[CE]|FL|GA|HI|I[ADLN]|K[SY]|LA|M[ADEINOST]|N[CDEHJMVY]|O[HKR]|P[AR]|RI|S[CD]|T[NX]|UT|V[AIT]|W[AIVY]))$"
Font-Size="Medium"
></asp:RegularExpressionValidator>
</div>
<div>
<asp:TextBox ID="txb_Employer3ZipCode" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Zip Code (#####)" runat="server" MaxLength="10"></asp:TextBox>
<asp:RegularExpressionValidator runat="server"
ControlToValidate="txb_Employer3ZipCode" style="color:red;" CssClass="display-next"
ErrorMessage="*Not a valid zip code!"
ValidationExpression="^\\d{5}$|^\\d{5}-\\d{4}$" Font-Size="Medium"
></asp:RegularExpressionValidator>
</div>
</div><!--End of FlexWrapper-->
<br /><br />
<asp:Label ID="lbl_Employer3Phone" runat="server" Text="Employer's Phone#" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Employer3Contact" runat="server" Text="May we contact this employer?" Font-Size="Medium"></asp:Label>

```

```

<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
  <div>
    <asp:TextBox ID="txb_Employer3Phone" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Phone (###-###-####)" runat="server" Font-Size="Smaller"
MaxLength="14"></asp:TextBox>
    <cc1:MaskedEditExtender ID="MaskedEditExtenderEmployer3Phone" runat="server"
TargetControlID="txb_Employer3Phone"
ClearMaskOnLostFocus ="False"
MaskType="Number"
Mask="(999) 999-9999"
MessageValidatorTip="True"
InputDirection="LeftToRight"
ErrorTooltipEnabled="True"
/>

    <asp:RegularExpressionValidator runat="server"
ControlToValidate="txb_Employer3Phone" style="color:red;" CssClass="display-next"
ErrorMessage="*Not a valid phone number!"
ValidationExpression="^\d?(\d{3})\d?\d?(\d{3})\d?(\d{4})$" Font-Size="Medium"
></asp:RegularExpressionValidator>
  </div>
  <div>
<asp:RadioButtonList ID="RadioButtonListEmployer3Contact" Cssclass="RadioHover" runat="server"
RepeatDirection="Horizontal"
ValidationGroup="Employer3Contact" Font-Size="Medium">
  <asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
  <asp:ListItem Text="No" Value="N"></asp:ListItem>
</asp:RadioButtonList>
<asp:RequiredFieldValidator ID="RequiredFieldValidatorEmployer3Contact"
runat="server"
ControlToValidate="RadioButtonListEmployer3Contact" style="color:red;" CssClass="display-next"
ErrorMessage="***Please select!"
Font-Size="Medium"></asp:RequiredFieldValidator>
</div>
</div><%--End of FlexWrapper--%>
<br /><br />
<asp:Label ID="lbl_ReasonForLeaving3" runat="server" Text="Reason for leaving?" Font-Size="Medium"></asp:Label>
<br />
<textarea id="txtarea_ReasonForLeaving3" class="RadioHover" cols="40" rows="6" style="color:red;" placeholder="Max 250 Characters..." maxlength="250"></textarea>
<br /><br />
</fieldset>
<br /><br />
<%-----Education Status-----%>
<%-----%>
<fieldset>
<legend style="font-size: medium; font-weight: bold; font-style: normal; color: #000000">Education</legend>

<asp:Label ID="lbl_CurrentlyInCollege" runat="server" Text="Are you currently in college?" Font-Size="Medium"></asp:Label>
<br />

```

```

<asp:RadioButtonList ID="RadioButtonListCurrentlyInCollege" Cssclass="RadioHover" runat="server"
  RepeatDirection="Vertical"
  ValidationGroup="College1" Font-Size="Medium">
  <asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
  <asp:ListItem Text="No" Value="N"></asp:ListItem>
</asp:RadioButtonList>
<asp:RequiredFieldValidator ID="RequiredFieldValidatorCurrentlyInCollege"
  runat="server"
  ControlToValidate="RadioButtonListCurrentlyInCollege" style="color:red;" CssClass="display-next"
  ErrorMessage="***Please select!"
  Font-Size="Medium"></asp:RequiredFieldValidator>
<br /><br />
<fieldset>
  <legend>High School</legend>
  <br /><br />
<asp:Label ID="lbl_HighSchool" runat="server" Text="Name of High School" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_HSStartDate" runat="server" Text="Start Date" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_HSEndDate" runat="server" Text="End Date" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_HSGraduate" runat="server" Text="Did you graduate?" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
  <div>
    <asp:TextBox ID="txb_HighSchoolName" runat="server" Cssclass="BoxStyleHireApp" placeholder="High School Name"></asp:TextBox>
  </div>
  <div>
    <asp:TextBox ID="txb_HSYearAttendedStart" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Start Date (MM/YYYY)" MaxLength="7"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
      ControlToValidate="txb_HSYearAttendedStart" style="color:red;" CssClass="display-next"
      ErrorMessage="*Invalid date (MM/YYYY)!"
      ValidationExpression="^((0[1-9])|(1[0-2]))\\(\\d{4})$" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
  </div>
  <asp:Label ID="lbl_HighSchoolTo" runat="server" Text=" To " Font-Size="Medium"></asp:Label>
  <div>
    <asp:TextBox ID="txb_HSYearAttendedEnd" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="End Date (MM/YYYY)"
      Font-Size="Small" MaxLength="7"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
      ControlToValidate="txb_HSYearAttendedEnd" style="color:red;" CssClass="display-next"
      ErrorMessage="*Invalid date (MM/YYYY)!"
      ValidationExpression="^((0[1-9])|(1[0-2]))\\(\\d{4})$" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
  </div>
</div>
<asp:RadioButtonList ID="RadioButtonListHSGraduate" Cssclass="RadioHover" runat="server"
  RepeatDirection="Horizontal"
  ValidationGroup="HSGraduate" Font-Size="Medium">
  <asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
  <asp:ListItem Text="No" Value="N"></asp:ListItem>
</asp:RadioButtonList>

```

```

<asp:RequiredFieldValidator ID="RequiredFieldValidatorHSGgraduate"
  runat="server"
  ControlToValidate="RadioButtonListHSGgraduate" style="color:red;" CssClass="display-next"
  ErrorMessage="***Please select!"
  Font-Size="Medium"></asp:RequiredFieldValidator>
</div>
</div><%--End of FlexWrapper--%>
<br /><br />
<asp:Label ID="lbl_HSDiplomaOrGED" runat="server" Text="Diploma or GED" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_HSState" runat="server" Text="State" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_HSDateReceived" runat="server" Text="Date Received" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_HSGPA" runat="server" Text="GPA" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
  <div>
    <asp:TextBox ID="txb_HSDiplomaOrGED" runat="server" Cssclass="BoxStyleHireApp" placeholder="Diploma or GED"></asp:TextBox>
  </div>
  <div>
    <asp:TextBox ID="txb_HSState" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="State (XX)" Width="65px" MaxLength="2"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
      ControlToValidate="txb_HSState" style="color:red;" CssClass="display-next"
      ErrorMessage="*Invalid state!"
      ValidationExpression=
        "^(?:[A[KLRZ]|C[AOT]|D[CE]|FL|GA|HI|I[ADLN]|K[SY]|LA|M[ADEINOST]|N[CDEHJMVY]|O[HKR]|P[AR]|RI|S[CD]|T[NX]|UT|V[AIT]|W[AIVY]))$"
      Font-Size="Medium"
    ></asp:RegularExpressionValidator>
  </div>
  <div>
    <asp:TextBox ID="txb_HSDateReceived" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Month/Year (MM/YYYY)" MaxLength="7"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
      ControlToValidate="txb_HSDateReceived" style="color:red;" CssClass="display-next"
      ErrorMessage="*Invalid date (MM/YYYY)!"
      ValidationExpression="^(0[1-9])|(1[0-2]))\\(\\d{4})$" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
  </div>
  <div>
    <asp:TextBox ID="txb_HSGPA" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="GPA (##.##)" Width="75px" MaxLength="4"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
      ControlToValidate="txb_HSGPA" style="color:red;" CssClass="display-next"
      ErrorMessage="*Invalid GPA!"
      ValidationExpression="^[0][0-3]\\.\\(\\d?\\d?)|[4].[0]" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
  </div>
<br /><br /><br />
</div><%--End of FlexWrapper--%>
<br /><br /><br /><br />
</fieldset>
<br /><br />
</fieldset>

```

```

    <legend class="LegendInsert">Trade School</legend>
<br /><br />
<asp:Label ID="lbl_TradeSchool" runat="server" Text="Name of Trade School" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_TSStartDate" runat="server" Text="Start Date" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_TSEndDate" runat="server" Text="End Date" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_TSGraduate" runat="server" Text="Did you graduate?" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
    <div>
        <asp:TextBox ID="txb_TradeSchoolName" runat="server" Cssclass="BoxStyleHireApp" placeholder="Trade School Name"></asp:TextBox>
    </div>
    <div>
        <asp:TextBox ID="txb_TradeYearAttendedStart" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Month/Year (MM/YYYY)" Font-Size="Small"
MaxLength="7"></asp:TextBox>
        <asp:RegularExpressionValidator runat="server"
            ControlToValidate="txb_TradeYearAttendedStart" style="color:red;" CssClass="display-next"
            ErrorMessage="*Invalid date (MM/YYYY)!"
            ValidationExpression="^((0[1-9])|(1[0-2]))\\(\\d{4})$" Font-Size="Medium"
        ></asp:RegularExpressionValidator>
    </div>
    <div>
        <asp:Label ID="lbl_TradeSchoolTo" runat="server" Text="To" Font-Size="Medium"></asp:Label>
    </div>
    <div>
        <asp:TextBox ID="txb_TradeYearAttendedEnd" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Month/Year (MM/YYYY)" Font-Size="Small"
MaxLength="7"></asp:TextBox>
        <asp:RegularExpressionValidator runat="server"
            ControlToValidate="txb_TradeYearAttendedEnd" style="color:red;" CssClass="display-next"
            ErrorMessage="*Invalid date (MM/YYYY)!"
            ValidationExpression="^((0[1-9])|(1[0-2]))\\(\\d{4})$" Font-Size="Medium"
        ></asp:RegularExpressionValidator>
    </div>
    <asp:RadioButtonList ID="RadioButtonListTradeSchool" Cssclass="RadioHover" runat="server"
RepeatDirection="Horizontal"
ValidationGroup="TradeSchool" Font-Size="Medium">
        <asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
        <asp:ListItem Text="No" Value="N"></asp:ListItem>
    </asp:RadioButtonList>
</div><%--End of FlexWrapper--%>
<br /><br />
<asp:Label ID="lbl_TradeCertificate" runat="server" Text="Certificate or Degree" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_TradeSchoolState" runat="server" Text="State" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_TradeCertificateDate" runat="server" Text="Date Received" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_TradeGPA" runat="server" Text="GPA" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
    <div>
        <asp:TextBox ID="txb_TradeCertificate" Cssclass="BoxStyleHireApp" runat="server" placeholder="Certificate or Degree"></asp:TextBox>
    </div>
    <div>
        <asp:TextBox ID="txb_TradeSchoolState" Cssclass="BoxStyleHireAppCityStateZip" runat="server" placeholder="State (XX)" Width="65px" MaxLength="2"></asp:TextBox>
    </div>

```

```

<asp:RegularExpressionValidator runat="server"
  ControlToValidate="txb_TradeSchoolState" style="color:red;" CssClass="display-next"
  ErrorMessage="*Invalid state!"
  ValidationExpression=
  "^(?:[A[KLRZ]|C[AOT]|D[CE]|FL|GA|HI|[ADLN]|K[SY]|LA|M[ADEINOST]|N[CDEHJMVY]|O[HKR]|P[AR]|RI|S[CD]|T[NX]|UT|V[AIT]|W[AIVY]))$"
  Font-Size="Medium"
></asp:RegularExpressionValidator>
</div>
<div>
<asp:TextBox ID="txb_tradeCertificateDate" Cssclass="BoxStyleHireAppCityStateZip" runat="server" placeholder="Year (MM/YYYY)" MaxLength="7"></asp:TextBox>
  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_tradeCertificateDate" style="color:red;" CssClass="display-next"
    ErrorMessage="*Invalid date (MM/YYYY)!"
    ValidationExpression="^((0[1-9])|(1[0-2]))\\(\\d{4})$" Font-Size="Medium"
  ></asp:RegularExpressionValidator>
</div>
<div>
<asp:TextBox ID="txb_TradeGPA" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="GPA (##.##)" Width="75px" MaxLength="4"></asp:TextBox>
  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_TradeGPA" style="color:red;" CssClass="display-next"
    ErrorMessage="*Invalid GPA!"
    ValidationExpression="^[0]|[0-3]\\.(\\d?\\d?)|[4].[0]" Font-Size="Medium"
  ></asp:RegularExpressionValidator>
</div>
</div><!--End of FlexWrapper-->
<br /><br /><br />
</fieldset>
<br /><br />
<fieldset>
  <legend>College</legend>
  <br />
  <br />
  <asp:Label ID="lbl_College1" runat="server" Text="Name of College" Font-Size="Medium"></asp:Label>
  <asp:Label ID="lbl_Col1StartDate" runat="server" Text="Start Date" Font-Size="Medium"></asp:Label>
  <asp:Label ID="lbl_Col1EndDate" runat="server" Text="End Date" Font-Size="Medium"></asp:Label>
  <asp:Label ID="lbl_Col1Graduate" runat="server" Text="Did you graduate?" Font-Size="Medium"></asp:Label>
  <br />
<div class="flexTBoxesWrapper"><!--Begin FlexWrapper-->
  <div>
    <asp:TextBox ID="txb_College1Name" runat="server" Cssclass="BoxStyleHireApp" placeholder="College Name"></asp:TextBox>
  </div>
  <div>
    <asp:TextBox ID="txb_College1YearAttendedStart" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Year (MM/YYYY)" MaxLength="7"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
      ControlToValidate="txb_College1YearAttendedStart" style="color:red;" CssClass="display-next"
      ErrorMessage="*Invalid date (MM/YYYY)!"
      ValidationExpression="^((0[1-9])|(1[0-2]))\\(\\d{4})$" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
  </div>
</div>

```



```

<asp:Label ID="lbl_College1To" runat="server" Text="To" Font-Size="Medium"></asp:Label>
<div>
  <asp:TextBox ID="txb_College1YearAttendedEnd" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Year (MM/YYYY)"
    Font-Size="Smaller" MaxLength="7"></asp:TextBox>
  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_College1YearAttendedEnd" style="color:red;" CssClass="display-next"
    ErrorMessage="*Invalid date (MM/YYYY)!"
    ValidationExpression="^(0[1-9])|(1[0-2])\\(\\d{4})$" Font-Size="Medium"
  ></asp:RegularExpressionValidator>
</div><div>
<asp:RadioButtonList ID="RadioButtonListCollege1" Cssclass="RadioHover" runat="server"
  RepeatDirection="Horizontal"
  ValidationGroup="College1" Font-Size="Medium">
  <asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
  <asp:ListItem Text="No" Value="N"></asp:ListItem>
</asp:RadioButtonList>
<asp:RequiredFieldValidator ID="RequiredFieldValidatorCollege1" runat="server"
  ControlToValidate="RadioButtonListCollege1" style="color:red;" CssClass="display-next"
  ErrorMessage="***Please select!" Font-Size="Medium"
  ></asp:RequiredFieldValidator>
</div>
</div><%--End of FlexWrapper--%>
<br />
<br />
<asp:Label ID="lbl_College1Degree" runat="server" Text="Certificate or Degree" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_College1State" runat="server" Text="State" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_College1DegreeDate" runat="server" Text="Date Received" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_College1GPA" runat="server" Text="GPA" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
<div>
  <asp:TextBox ID="txb_College1Degree" runat="server" Cssclass="BoxStyleHireApp" placeholder="Degree or Certificate"></asp:TextBox>
</div><div>
  <asp:TextBox ID="txb_College1State" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="State (XX)" Width="65px" MaxLength="2"></asp:TextBox>
  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_College1State" style="color:red;" CssClass="display-next"
    ErrorMessage="*Invalid state!"
    ValidationExpression="
      ^(?:[A(KLRZ)]|C[AOT]|D[CE]|FL|GA|HI|I[ADLN]|K[SY]|LA|M[ADEINOST]|N[CDEHJMVY]|O[HKR]|P[AR]|RI|S[CD]|T[NX]|UT|V[AIT]|W[AIVY]))$"
    Font-Size="Medium"
  ></asp:RegularExpressionValidator>
</div><div>
  <asp:TextBox ID="txb_College1DegreeDate" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Year (MM/YYYY)" MaxLength="7"></asp:TextBox>
  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_College1DegreeDate" style="color:red;" CssClass="display-next"
    ErrorMessage="*Invalid date (MM/YYYY)!"
    ValidationExpression="^(0[1-9])|(1[0-2])\\(\\d{4})$" Font-Size="Medium"
  ></asp:RegularExpressionValidator>
</div><div>

```

```

<asp:TextBox ID="txb_College1GPA" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="GPA (##.##)" Width="75px" MaxLength="4"></asp:TextBox>
<asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_College1GPA" style="color:red;" CssClass="display-next"
    ErrorMessage="*Invalid GPA!"
    ValidationExpression="^[0]|[0-3]\.(\d?\d?)[4].[0]$" Font-Size="Medium"
></asp:RegularExpressionValidator>
</div>
</div><%--End of FlexWrapper--%>
<br /><br />
</fieldset>
<br /><br /><br />
<fieldset>
<legend class="LegendInsert">College</legend>
<br />
<br />
<asp:Label ID="lbl_College2" runat="server" Text="Name of College" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Col2StartDate" runat="server" Text="Start Date" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Col2EndDate" runat="server" Text="End Date" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Col2Graduate" runat="server" Text="Did you graduate?" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
<div>
    <asp:TextBox ID="txb_College2Name" runat="server" Cssclass="BoxStyleHireApp" placeholder="College Name"></asp:TextBox>
</div>
<div>
    <asp:TextBox ID="txb_College2YearAttendedStart" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Year (MM/YYYY)" MaxLength="7"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
        ControlToValidate="txb_College2YearAttendedStart" style="color:red;" CssClass="display-next"
        ErrorMessage="*Invalid date (MM/YYYY)!"
        ValidationExpression="^((0[1-9])|(1[0-2]))\(\d{4}\)$" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
</div>
<asp:Label ID="lbl_College2To" runat="server" Text="To" Font-Size="Medium"></asp:Label>
<div>
    <asp:TextBox ID="txb_College2YearAttendedEnd" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Year (MM/YYYY)"
        Font-Size="Smaller" MaxLength="7"></asp:TextBox>
    <asp:RegularExpressionValidator runat="server"
        ControlToValidate="txb_College2YearAttendedEnd" style="color:red;" CssClass="display-next"
        ErrorMessage="*Invalid date (MM/YYYY)!"
        ValidationExpression="^((0[1-9])|(1[0-2]))\(\d{4}\)$" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
</div>
<asp:RadioButtonList ID="RadioButtonListCollege2" Cssclass="RadioHover" runat="server"
    RepeatDirection="Horizontal"
    ValidationGroup="College2" Font-Size="Medium">
    <asp:ListItem Text="Yes" Value="Y"></asp:ListItem>
    <asp:ListItem Text="No" Value="N"></asp:ListItem>
</asp:RadioButtonList>
</div><%--End of FlexWrapper--%>

```

```

<br />
<br />
<asp:Label ID="lbl_College2Degree" runat="server" Text="Certificate or Degree" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_College2State" runat="server" Text="State" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_College2DegreeDate" runat="server" Text="Date Received" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_College2GPA" runat="server" Text="GPA" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><!--Begin FlexWrapper-->
<div>
<asp:TextBox ID="txb_College2Degree" runat="server" Cssclass="BoxStyleHireApp" placeholder="Degree or Certificate"></asp:TextBox>
</div>
<div>
<asp:TextBox ID="txb_College2State" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="State (XX)" Width="65px" MaxLength="2"></asp:TextBox>
<asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_College2State" style="color:red;" CssClass="display-next"
    ErrorMessage="*Invalid state!"
    ValidationExpression="^(?:[A[KLRZ]|C[AOT]|D[CE]|FL|GA|HI|I[ADLN]|K[SY]|LA|M[ADEINOST]|N[CDEHJMVY]|O[HKR]|P[AR]|RI|S[CD]|T[NX]|UT|V[AIT]|W[AIVY]))$"
    Font-Size="Medium"
    ></asp:RegularExpressionValidator>
</div>
<div>
<asp:TextBox ID="txb_College2DegreeDate" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Month/Year (MM/YYYY)" MaxLength="7"></asp:TextBox>
<asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_College2DegreeDate" style="color:red;" CssClass="display-next"
    ErrorMessage="*Invalid date (MM/YYYY)!"
    ValidationExpression="^(0[1-9])|(1[0-2])\.\d{4}$" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
</div>
<div>
<asp:TextBox ID="txb_College2GPA" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="GPA (##.##)" Width="75px" MaxLength="4"></asp:TextBox>
<asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_College2GPA" style="color:red;" CssClass="display-next"
    ErrorMessage="*Invalid GPA!"
    ValidationExpression="^[0]([0-3]\.\d?\d?)|[4].[0]" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
</div>
</div><!--End of FlexWrapper-->
<br />
<br />
<br />
</fieldset>
<br />
</fieldset>
<br /><br />
<%-----Skills Information-----%>
<%-----%>
<fieldset>
<legend style="font-size: medium; font-weight: bold; font-style: normal; color: #000000">Skills</legend>
<br />

```

```

<asp:Label ID="lbl_Skills" runat="server" Text="Please List Your Skills!" Font-Size="Medium"></asp:Label>
<br />
<textarea id="txtarea_Skills" class="RadioHover" cols="60" rows="4" style="color:red;" placeholder="Max 250 Characters..." maxlength="250"></textarea>
<br /><br />
</fieldset>
<br /><br />
<%-----References-----%>
<%-----%>
<fieldset>
<legend style="font-size: medium; font-weight: bold; font-style: normal; color: #000000">References</legend>
<br />
<asp:Label ID="lbl_Ref1PersonName" runat="server" Text="Reference Name" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Ref1YearsKnown" runat="server" Text="Years Known" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Ref1Telephone" runat="server" Text="Phone#" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
<div>
<asp:TextBox ID="txb_Ref1PersonName" Cssclass="BoxStyleHireApp" runat="server" placeholder="Person's Name"></asp:TextBox>
</div>
<div>
<asp:TextBox ID="txb_Ref1YearsKnown" Cssclass="BoxStyleHireAppCityStateZip" runat="server" placeholder="Years (##)" MaxLength="2" Width="65px"></asp:TextBox>
</div>
<div>
<asp:TextBox ID="txb_Ref1Telephone" Cssclass="BoxStyleHireAppCityStateZip" runat="server" placeholder="Ref. Phone (###-###-####)" Width="175"
MaxLength="14"></asp:TextBox>
<cc1:MaskedEditExtender ID="MaskedEditExtenderRef1Telephone" runat="server"
TargetControlID="txb_Ref1Telephone"
ClearMaskOnLostFocus="False"
MaskType="Number"
Mask="(999) 999-9999"
MessageValidatorTip="True"
InputDirection="LeftToRight"
ErrorTooltipEnabled="True"
/>
<asp:RegularExpressionValidator runat="server"
ControlToValidate="txb_Ref1Telephone" style="color:red;" CssClass="display-next"
ErrorMessage="*Not a valid phone number!"
ValidationExpression="^\d{3}\d{3}\d{3}\d{4}$" Font-Size="Medium"
></asp:RegularExpressionValidator>
</div>
</div><%--End of FlexWrapper--%>
<br /><br />

<br />
<asp:Label ID="lbl_Ref2PersonName" runat="server" Text="Reference Name" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Ref2YearsKnown" runat="server" Text="Years Known" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Ref2Telephone" runat="server" Text="Phone#" Font-Size="Medium"></asp:Label>
<br />

```

```

<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
<div>
  <asp:TextBox ID="txb_Ref2PersonName" Cssclass="BoxStyleHireApp" runat="server" placeholder="Person's Name"></asp:TextBox>
</div>
<div>
  <asp:TextBox ID="txb_Ref2YearsKnown" Cssclass="BoxStyleHireAppCityStateZip" runat="server" placeholder="Years (##)" MaxLength="2" Width="65px"></asp:TextBox>
</div>
<div>
  <asp:TextBox ID="txb_Ref2Telephone" Cssclass="BoxStyleHireAppCityStateZip" runat="server" placeholder="Ref. Phone (###-###-####)" Width="175"
    MaxLength="14"></asp:TextBox>
  <cc1:MaskedEditExtender ID="MaskedEditExtender2" runat="server"
    TargetControlID="txb_Ref2Telephone"
    ClearMaskOnLostFocus ="False"
    MaskType="Number"
    Mask="(999) 999-9999"
    MessageValidatorTip="True"
    InputDirection="LeftToRight"
    ErrorTooltipEnabled="True"
    />
  <asp:RegularExpressionValidator runat="server"
    ControlToValidate="txb_Ref2Telephone" style="color:red;" CssClass="display-next"
    ErrorMessage="*Not a valid phone number!"
    ValidationExpression="^\d{3}\d{3}\d{3}\d{4}$" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
</div>
</div><%--End of FlexWrapper--%>
<br /><br />

<br />
<asp:Label ID="lbl_Ref3PersonName" runat="server" Text="Reference Name" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Ref3YearsKnown" runat="server" Text="Years Known" Font-Size="Medium"></asp:Label>
<asp:Label ID="lbl_Ref3Telephone" runat="server" Text="Phone#" placeholder="Ref. Phone (###-###-####)" Width="175" MaxLength="12" Font-Size="Medium"></asp:Label>
<br />
<div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
<div>
  <asp:TextBox ID="txb_Ref3PersonName" Cssclass="BoxStyleHireApp" runat="server" placeholder="Person's Name"></asp:TextBox>
</div>
<div>
  <asp:TextBox ID="txb_Ref3YearsKnown" Cssclass="BoxStyleHireAppCityStateZip" runat="server" placeholder="Years (##)" MaxLength="2" Width="65px"></asp:TextBox>
</div>
<div>
  <asp:TextBox ID="txb_Ref3Telephone" Cssclass="BoxStyleHireAppCityStateZip" runat="server" placeholder="Ref. Phone (###-###-####)" Width="175"
    MaxLength="14"></asp:TextBox>
  <cc1:MaskedEditExtender ID="MaskedEditExtenderRef3Telephone" runat="server"
    TargetControlID="txb_Ref3Telephone"
    ClearMaskOnLostFocus ="False"
    MaskType="Number"
    Mask="(999) 999-9999"

```

```

        MessageValidatorTip="True"
        InputDirection="LeftToRight"
        ErrorTooltipEnabled="True"
    />
    <asp:RegularExpressionValidator runat="server"
        ControlToValidate="txb_Ref3Telephone" style="color:red;" CssClass="display-next"
        ErrorMessage="*Not a valid phone number!"
        ValidationExpression="^\D?(\d{3})\D?\D?(\d{3})\D?(\d{4})$" Font-Size="Medium"
    ></asp:RegularExpressionValidator>
</div>
</div><%--End of FlexWrapper--%>
<br /><br />
</fieldset>
<br /><br />
<fieldset>
    <legend style="font-size: medium; font-weight: bold; font-style: normal; color: #000000">Emergency Contact</legend>
    <br />
    <asp:Label ID="lbl_EmergencyContName" runat="server" Text="Emergency Contact Name" Font-Size="Medium"></asp:Label>
    <asp:Label ID="lbl_EmergencyContRelationship" runat="server" Text="Relationship" Font-Size="Medium"></asp:Label>
    <asp:Label ID="lbl_EmergencyContactPhone" runat="server" Text="Phone Number" Font-Size="Medium"></asp:Label>
    <br />
    <div class="flexTBoxesWrapper"><%--Begin FlexWrapper--%>
    <div>
        <asp:TextBox ID="txb_EmergencyContactName" Cssclass="BoxStyleHireApp" runat="server" placeholder="Emergency Contact Name"></asp:TextBox>
    </div>
    <div>
        <asp:TextBox ID="txb_EmergencyRelationship" Cssclass="BoxStyleHireAppCityStateZip" runat="server" placeholder="Relationship"></asp:TextBox>
    </div>
    <div>
        <asp:TextBox ID="txb_EmergencyPhone" runat="server" Cssclass="BoxStyleHireAppCityStateZip" placeholder="Emergency Phone (###-###-####)" Width="225"
            MaxLength="14"></asp:TextBox>
        <cc1:MaskedEditExtender ID="MaskedEditExtenderEmergencyPhone" runat="server"
            TargetControlID="txb_EmergencyPhone"
            ClearMaskOnLostFocus ="False"
            MaskType="Number"
            Mask="(999) 999-9999"
            MessageValidatorTip="True"
            InputDirection="LeftToRight"
            ErrorTooltipEnabled="True"
        />
        <asp:RegularExpressionValidator runat="server"
            ControlToValidate="txb_EmergencyPhone" style="color:red;" CssClass="display-next"
            ErrorMessage="*Not a valid phone number!"
            ValidationExpression="^\D?(\d{3})\D?\D?(\d{3})\D?(\d{4})$" Font-Size="Medium"
        ></asp:RegularExpressionValidator>
    </div>
</div><%--End of FlexWrapper--%>
<br />
</fieldset>

```

```
<br /><br />

<%-----Agreement Sign Section-----%>
<%-----%>
<fieldset>
  <legend style="font-size: medium; font-weight: bold; font-style: normal; color: #000000">Sign Application</legend>
  <br />
  <asp:Label ID="lbl_AgreeAllIsTrue" runat="server" Text="I hereby testify on my behalf that all information herein of what I have filled out is true "+"
    to the best of my knowledge and also understand that I can be terminated from employment at anytime if any of the information is found to be untrue."
    Font-Size="Medium" style="color:red;" Font-Bold="True"></asp:Label>
  <br /><br />
  <asp:Label ID="lbl_SignedName" runat="server" Text="Please Sign Your Name" Font-Size="Medium"></asp:Label>
  <asp:Label ID="lbl_SignedDate" runat="server" Text="Today's Date" Font-Size="Medium"></asp:Label>
  <br />
  <div class="flexTBoxesWrapper"><!-- Begin FlexWrapper -->
    <div>
      <asp:TextBox ID="txb_SignedName" Cssclass="BoxStyleHireApp" runat="server" placeholder="Full Name"></asp:TextBox>
    </div>
    <div>
      <asp:TextBox ID="txb_SignedDate" Cssclass="BoxStyleHireAppCityStateZip" runat="server" placeholder=" Today's Date (MM/DD/YYYY)" Width="178px" MaxLength="25"
        ReadOnly="True"></asp:TextBox>
      <!--<cc1:CalendarExtender ID="CalendarExtendertxb_SignedDate" runat="server" TargetControlID="txb_DateCanStart" DaysModeTitleFormat="MMMM, yyyy"
        Format="MM/dd/yyyy" />
      <asp:RegularExpressionValidator runat="server"
        ControlToValidate="txb_SignedDate" style="color:red;" CssClass="display-next"
        ErrorMessage="*Not a valid date (MM/DD/YYYY hh, mm, ss)!"
        ValidationExpression="^(?ni:(?=\d)((?'year'((1[6-9])|([2-9]\d)\d\d)(?'sep'[/.-])?'month'0?[1-9]|1[012])\2?'day'((?!(\2((0?[2469])|11)\2))31)|(?!\2(0?2)\2)(29|30)|((?<=((1[6-
9]|2-9)\d)(0[48]|2468)[048]|13579)[26])|(16|2468)[048]|3579)[26]00)\2\3\2)29)((0?[1-9])|(1\d)|(2[0-8]))(?:=(?\x20\d)\x20|$))?(?<time>((0?[1-9]|1[012])|([0-
5]\d){0,2}(\x20[AP]M))|([01]\d|2[0-3])(:[0-5]\d){1,2}))?$"
        Font-Size="Medium"
      ></asp:RegularExpressionValidator> -->
      <!--ValidationExpression="^(0[1-9]|1[012])[-./](0[1-9]|12)[0-9]|3[01])[-./](19|20)\d\d$" Font-Size="Medium" -->
      <!-- OLD VERSION ValidationExpression="^(0?[13578]|10|12)(-|\V|((1-9)|(0[1-9])|((12)|([0-9]?|(3[01]?))(-|\V|((19)|([2-9])\d{1})|(20)|([01])\d{1})|([8901])\d{1}))|(0?[2469]|11)(-
|\V|((1-9)|(0[1-9])|([12])|([0-9]?|(3[0]?))(-|\V|((19)|([2-9])\d{1})|(20)|([01])\d{1})|([8901])\d{1}))$" Font-Size="Medium" -->
    </div>
  </div><!-- End of FlexWrapper -->
  <br />
  <br />
  <asp:Button ID="submitButton" Cssclass="submitButton" runat="server" Text ="Submit" OnClick="submitButton_Click" PostBackUrl="~/Admin/hireApplication.aspx" />
  <asp:Label ID="lbl_EmployeeIdentity" runat="server" Text="" Font-Size="Medium"></asp:Label>
</fieldset>
<br />
<br />
</form>
</body>
</html>
```





```

txb_firstName.Attributes.Add("placeholder", "First Name");
txb_firstName.Attributes.Add("placeholder", "First Name");
txb_firstName.Attributes.Add("placeholder", "First Name");
txb_firstName.Attributes.Add("placeholder", "First Name");
txb_firstName.Attributes.Add("placeholder", "First Name");
txb_firstName.Attributes.Add("placeholder", "First Name");
txb_SignedDate.Text = DateTime.Now.ToString();
txb_SignedDate.Text = DateTime.Now.ToString("MM/dd/yyyy hh:mm:ss tt");
Session["SignedDate"] = txb_SignedDate.Text;
}

```

```

public void submitButton_Click(object sender, EventArgs e)
{

```

```

//===== Employee Information =====

```

```

// Fill the Container variables with the new information.

```

```

Container.ContEmployee emp = new Container.ContEmployee();
Container.ContEmploymentHistory empHist = new Container.ContEmploymentHistory();
Container.ContEducationHistory eduHist = new Container.ContEducationHistory();

```

```

emp.fName = Request.Form["txb_firstName"];
emp.mName = Request.Form["txb_middleName"];
emp.lName = Request.Form["txb_LastName"];
emp.appAddress = Request.Form["txb_Address"];
emp.appCity = Request.Form["txb_City"];
emp.appState = Request.Form["txb_State"];
emp.appZipCode = Request.Form["txb_ZipCode"];
emp.hPhone = Request.Form["txb_HomePhoneNumb"];
emp.cPhone = Request.Form["txb_CellPhoneNumb"];
emp.eMail = Request.Form["txb_EmailAdd"];
emp.dob = Request.Form["txb_DOB"];
emp.ssi = Request.Form["txb_SSI numb"];
emp.position = Request.Form["DropBoxDownListPosition"]; //Drop down list selection.
emp.dateCanStart = Request.Form["txb_DateCanStart"];
//CalendarExtender txb_DateCanStart.StartDate = DateTime.Now;
emp.desiredHourlyRate = Request.Form["txb_DesiredHourlyRate"];

```

```

//===== Answered Questions =====

```

```

// Employee table

```

```

emp.troubleLaw = Request.Form["RadioButtonListTroubleLaw"]; //Radio button.
emp.troubleLawReason = Request.Form["txtarea_TroubleLaw"]; //Text area box
emp.usCitizen = Request.Form["RadiolistCitizen"]; //Radio button
emp.medCondition = Request.Form["RadioButtonListMedCondition"]; //Radio button
emp.medConditionExplained = Request.Form["txtarea_MedicalConditions"]; //Text area box
emp.activeMilitary = Request.Form["RadioButtonListActiveMilitary"]; //Radio button
emp.formerMilitary = Request.Form["RadioButtonFormerMilitaryService"]; //Radio button
emp.currentlyEmployed = Request.Form["RadioButtonListCurrentlyEmployed"]; //Radio button

```

```

//===== Employee References =====
// Employee table
emp.ref1PersonName = Request.Form["txb_Ref1PersonName"];
emp.ref1YearsKnown = Request.Form["txb_Ref1YearsKnown"];
emp.ref1Phone = Request.Form["txb_Ref1Telephone"];

emp.ref2PersonName = Request.Form["txb_Ref2PersonName"];
emp.ref2YearsKnown = Request.Form["txb_Ref2YearsKnown"];
emp.ref2Phone = Request.Form["txb_Ref2Telephone"];

emp.ref3PersonName = Request.Form["txb_Ref3PersonName"];
emp.ref3YearsKnown = Request.Form["txb_Ref3YearsKnown"];
emp.ref3Phone = Request.Form["txb_Ref3Telephone"];

emp.EmergencyContactName = Request.Form["txb_EmergencyContactName"];
emp.EmergencyRelationship = Request.Form["txb_EmergencyRelationship"];
emp.EmergencyPhone = Request.Form["txb_EmergencyPhone"];
emp.SignedName = Request.Form["txb_SignedName"];
// Clear the Text Box on button submit and then add a new time.
txb_SignedDate.Text = " ";
//Reset the Session to see the submitted time stamp
txb_SignedDate.Text = DateTime.Now.ToString("MM/dd/yyyy hh:mm:ss tt");
Session["SignedDate"] = txb_SignedDate.Text;
emp.SignedDate = Request.Form["txb_SignedDate"];

//emp.SignedDate = Request.Form["SignedDate"];
//CalendarExtendertxb_SignedDate.SelectedDate = DateTime.Now;
//Session["SignedDate"] = emp.SignedDate;

//===== Employment History =====

// Employer1
empHist.employer1Name = Request.Form["txb_Employer1Name"];
empHist.employer1Position = Request.Form["txb_Employer1Position"];
empHist.employer1StartDate = Request.Form["txb_Employer1StartDate"];
empHist.employer1EndDate = Request.Form["txb_Employer1EndDate"];
empHist.employer1Address = Request.Form["txb_Employer1Address"];
empHist.employer1City = Request.Form["txb_Employer1City"];
empHist.employer1State = Request.Form["txb_Employer1State"];
empHist.employer1ZipCode = Request.Form["txb_Employer1ZipCode"];

empHist.employer1Phone = Request.Form["txb_Employer1Phone"];
empHist.employer1CanContact = Request.Form["RadioButtonListEmployer1Contact"]; //Radio Button
empHist.employer1ReasonLeft = Request.Form["txtarea_Employer1ReasonForLeaving"]; //Text area box

//Employer2
empHist.employer2Name = Request.Form["txb_Employer2Name"];
empHist.employer2Position = Request.Form["txb_Employer2Position"];

```

```
empHist.employer2StartDate = Request.Form["txb_Employer2StartDate"];
empHist.employer2EndDate = Request.Form["txb_Employer2EndDate"];
empHist.employer2Address = Request.Form["txb_Employer2Address"];
empHist.employer2City = Request.Form["txb_Employer2City"];
empHist.employer2State = Request.Form["txb_Employer2State"];
empHist.employer2ZipCode = Request.Form["txb_Employer2ZipCode"];
empHist.employer2Phone = Request.Form["txb_Employer2Phone"];
empHist.employer2CanContact = Request.Form["RadioButtonListEmployer2Contact"]; //Radio Button
empHist.employer2ReasonLeft = Request.Form["txtarea_Employer2ReasonForLeaving"]; //Text area box
```

```
//Employer3
```

```
empHist.employer3Name = Request.Form["txb_Employer1Name"];
empHist.employer3Position = Request.Form["txb_Employer1Position"];
empHist.employer3StartDate = Request.Form["txb_Employer1StartDate"];
empHist.employer3EndDate = Request.Form["txb_Employer1EndDate"];
empHist.employer3Address = Request.Form["txb_Employer1Address"];
empHist.employer3City = Request.Form["txb_Employer1City"];
empHist.employer3State = Request.Form["txb_Employer1State"];
empHist.employer3ZipCode = Request.Form["txb_Employer1ZipCode"];
empHist.employer3Phone = Request.Form["txb_Employer3Phone"];
empHist.employer3CanContact = Request.Form["RadioButtonListEmployer1Contact"]; //Radio Button
empHist.employer3ReasonLeft = Request.Form["txtarea_Employer1ReasonForLeaving"]; //Text area box
```

```
//===== Education Information =====
```

```
//Education
```

```
eduHist.currentlyInCollege = Request.Form["RadioButtonListCurrentlyInCollege"];
```

```
//High School
```

```
eduHist.highSchoolName = Request.Form["txb_HighSchoolName"];
eduHist.hsYearAttendedStart = Request.Form["txb_HSYearAttendedStart"];
eduHist.hsYearAttendedEnd = Request.Form["txb_HSYearAttendedEnd"];
eduHist.hsGraduate = Request.Form["RadioButtonListHSGraduate"]; //Radio button.
eduHist.hsDiploma = Request.Form["txb_HSDiplomaOrGED"];
eduHist.hsState = Request.Form["txb_HSState"];
eduHist.hsDateReceived = Request.Form["txb_HSDateReceived"];
eduHist.hsGPA = Request.Form["txb_HSGPA"];
```

```
//Trade School (Optional)
```

```
eduHist.tradeSchoolName = Request.Form["txb_TradeSchoolName"];
eduHist.tradeYearAttendedStart = Request.Form["txb_TradeYearAttendedStart"];
eduHist.tradeYearAttendedEnd = Request.Form["txb_TradeYearAttendedEnd"];
eduHist.tradeGraduate = Request.Form["RadioButtonListTradeSchool"]; //Radio button.
eduHist.tradeCertificate = Request.Form["txb_TradeCertificate"];
eduHist.tradeState = Request.Form["txb_TradeSchoolState"];
eduHist.tradeCertificateDate = Request.Form["txb_tradeCertificateDate"];
eduHist.tradeGPA = Request.Form["txb_TradeGPA"];
```

```
//College 1
```

```
eduHist.college1Name = Request.Form["txb_College1Name"];
eduHist.college1YearAttendedStart = Request.Form["txb_College1YearAttendedStart"];
eduHist.college1YearAttendedEnd = Request.Form["txb_College1YearAttendedEnd"];
eduHist.college1Graduate = Request.Form["RadioButtonListCollege1"]; //Radio button.
eduHist.college1Degree = Request.Form["txb_College1Degree"];
eduHist.college1State = Request.Form["txb_College1State"];
eduHist.college1DegreeDate = Request.Form["txb_College1DegreeDate"];
eduHist.college1GPA = Request.Form["txb_College1GPA"];
```

```
//College2 (Optional)
```

```
eduHist.college2Name = Request.Form["txb_College2Name"];
eduHist.college2YearAttendedStart = Request.Form["txb_College2YearAttendedStart"];
eduHist.college2YearAttendedEnd = Request.Form["txb_College2YearAttendedEnd"];
eduHist.college2Graduate = Request.Form["RadioButtonListCollege2"]; //Radio button.
eduHist.college2Degree = Request.Form["txb_College2Degree"];
eduHist.college2State = Request.Form["txb_College2State"];
eduHist.college2DegreeDate = Request.Form["txb_College2DegreeDate"];
eduHist.college2GPA = Request.Form["txb_College2GPA"];
```

```
eduHist.skills = Request.Form["txtarea_Skills"];
string EmployeeID = emp.employeeid;
```

```
// Instantiate an object EmployeeApplication.
```

```
EmployeeApplication EmployeeApplication = new EmployeeApplication();
```

```
// Call the Object EmployeeApplication insert method, then set a session for EmployeeID.
```

```
HttpContext.Current.Session["EmployeeID"] = EmployeeApplication.insert(emp,empHist,eduHist);
Session["EmployeeID"] = emp.employeeid;
```

```
//Convert the session to string.
```

```
EmployeeID = Session["EmployeeID"].ToString();
```

```
// Set the label text from the returned EmployeeID.
```

```
lbl_EmployeeIdentity.Text = "Dataset Created, Employee Added, Line ID: " + "<span>" + EmployeeID + "</span>";
```

```
    }
}
}
```